p://www.hathitrust.org/access use#pd-google arrangement and a second and a second and a second and a second a

back to his hief of the is, going to he was askipper was low. Geo ras second McDongal inschlage: the Meras Berg-IcDongal irrtin, freARINE REVIEW

VOL. XXXV.

CLEVELAND, JUNE 27, 1907.

No. 26

ELECTRICAL INSTALLATION IN DETROIT RIVER TUNNEL.

The tunnel under the Detroit river, connecting Detroit and Windsor, Ont., and which is being built by the Michigan Central railroad, is to be electrically operated.

The tunnel is comprised of two separate iron tubes laid at a depth of 65 ft. below the surface of the water. The section to be operated by electricity is a trifle over four miles long and with the yards totals 15 miles of single track.

It is thought that electric locomotives for tunnel operation will give not only greater celerity in handling traffic but will also perceptibly lighten the ventilation problem. The equipment of locomotives is to include six 100-ton direct-current locomotives of swiveltruck type, with geared motors, each locomotive capable of hauling a 900ton load up a two per cent grade at ten miles per hour. The locomotives are each to be mounted with four 280-H. P. motors, two of which are to be placed on each swivel truck. The Sprague-General Electric multiple unit control will be the system installed, the locomotives running either in pairs or singly.

The third-rail system will furnish current, to be taken therefrom by contact shoes. Automatic high-speed air brakes will be installed. The General Electric Co. is to furnish the electric equipment for the locomotives and the tunnel in general as well.

The current required for operating is to be obtained from the Detroit Edison Co. and a substation at Detroit will receive it at a potential of 4,400 volts, at a frequency of 60 cycles. This substation is to be fitted with two 1,000 kilowatt synchronous motor-generator sets, from which the third rail will be supplied at 650 volts. On shaft extensions of each of the motor-generator sets 15-kilowatt 125-volt exciters for

the synchronous motors will be fitted.

The lighting and pumping installations are to be very complete, the yards and approaches to be lighted by arc lamps and the tunnel to be fitted with incandescent lamps installed on duplicate circuits. The lighting circuits will receive alternating current at a frequency of 60 cycles, the circuits being so arranged that if either is broken one-half of the lamps in each tunnel will burn. Running through each tunnel there will be a single three-phase distributing circuit with connection to step-down transformers, the secondaries of the transformers to be interconnected with duplicate circuits for one-half of the lamps in each tunnel.

Induction motor centrifugal pumps arranged in duplicate will be provided to drain each of five sumps, the pump motors operating directly at 4,000 volts. The controlling circuits with compensators will be centralized in the substation. The depths of water in each sump will be indicated by both visible and audible devices at the substation

A regulation storage battery for carrying the load fluctuation is to be installed in the substation which, should the necessity arise, will be capable of operating the entire system for half an hour. In such an event the lighting and pumping alternating current equipment will be energized by 60-cycle, alternating current from a 50-kilowatt motor-generator set, the driving motor being supplied with current from the storage battery. Flexible switching arrangements will be installed to enable this interchange of power supply to be easily and quickly effected.

EXCURSION BOAT INSPECTION SERVICE IN NEW YORK.

Every excursion about New York will be inspected at least once a week during the coming summer and every violation of regulations- prescribed for the safety of passengers will be prosecuted by a newly-formed organization which is so constituted that in effect it includes every person who goes upon an excursion. This organization is the People's Institute Marine League, under which title are enrolled the following organizations: The American Association of Masters, Mates and Pilots; Marine Engineers' Beneficial Association; Marine Engine Builders; American Lifesaving Society and the People's Institute Organization.

The central committee is the working unit of the institute. All reports will be made to it, and it will prosecute owners of vessels who persist in neglecting to equip their craft with the safety devices required by law, or who attempt to run boats which are not safe or are improperly manned. The membership of the League includes about 40,000 men, among whom are a large number belonging to the crews of the vessels that carry excursion crowds, and by this means the Institute, League will be enabled to obtain personal information of the exact condition of every boat employed in the excursion trade about New York. It is quite generally known that many of the boats carrying excursion crowds are not in first-class seaworthy condition.

The volunteer inspectors have been provided with printed blanks which they need only to fill out to give an exact account of the conditions as they prevail on the various boats. The blanks contain various questions relative to the number and character of safety appliances, the character and discipline of crews, etc. The inspectors will test life preservers and ascertain whether the required number are provided and whether they are accessible. Particular attention will be paid to overcrowding of boats and as the league has a list of the number each boat is allowed to carry, it will be easy to discover violations.

Every organization in the city which is even remotely liable to conduct an ex-

cursion, such as churches, lodges, settlements and social organizations has been notified by circular letter of the plan, and also supplied with the inspection blanks. It is to be hoped that by this means if by no other a repetition of the Slocum horror may be avoided.

INTERNATIONAL MERCANTILE MARINE COL

Even its remarkably successful operations for 1905, its previous banner year, were surpassed by the International Mercantile Marine Co. in the year ended Dec. 31, 1906.

The interesting feature in connection with the report is the statement that new tonnage to the amount of 127,530 tons has been arranged for, the number of vessels to be built being nine, as follows:

- (1) An express mail, passenger and cargo steamer for the North Atlantic trade which, the report states, in point of luxury and size will far surpass anything hitherto attempted.
- (2) A passenger and cargo steamer, also for the North Atlantic trade.
- (3) A passenger and cargo steamer for the Atlantic Transport Line, New York-London service.
- (4 and 5) Two mail passenger and cargo steamers for the Dominion Line. Canadian service.
- (6) A large passenger and cargo steamer designed for the London-Australian trade.
- (7, 8 and 9) Three steamers for Leyland Line.

It is expected that these vessels, with the possible exception of the large fast steamer and the second steamer for the Canadian trade, will be in commission by the early part of 1909.

The company's income account for the year ended Dec. 31, compared with those for the two previous years, follows:

| 1906 | 1905 | 1904 |
|---|----------------------------|----------------------------|
| Gross voy. earn\$35,931,412 Mis. earn 1,256,397 | | |
| Ttl. earn\$37,187,809 Gross exp 29,155,187 | \$33,362,918 27,456,174 | \$28,846,992 27,040,585 |
| Net earn\$ 8,032.631 Chgs. & txs. 3,695,836 | \$ 5,906,744 3,880,055 | \$ 1,806,407 3,845,556 |
| Surplus\$ 4,236,795 Sur. ins. ac. 791,959 | \$ 2,026,689 864,159 | *\$2,039,149 897,052 |
| Sur. for yr.\$ 5,028,754 | \$ 2,890,848 | *\$1,142,097 |
| *Deficit. | | |

The statement includes the combined income account of the American, Red Star, White Star, Dominion, and Atlantic Transport lines, but does not include the operation; of the Leyland and National lines, in which the parent corporation has important holdings. These lines have made separate reports to their shareholders showing profits for the year amounting to £136,-

910 7s 9d for the Leyland line, and £16,-877 1s 11d for the National line.

The International Mercantile Marine. Co.'s profit and loss account showed: Balance of earnings as above.... \$5,028,754 Surplus Dec. 31, 1905...... 250,152

.. \$5,278,906 5.000,000

Profit and loss surplus...... \$ 278,906 The condensed general balance sheet, as of December 31 last compares as follows:

Decrease.

1906

Assets-

| Assets- | 1900 | 1900. | Decrease. |
|---------------|-------------|---------------|-----------------|
| Cost of prop- | | | |
| erties\$1 | 71,997,011 | 3171,001,608 | *\$995,403 |
| Inv. other | | | |
| cos | 13,016,379 | 12,989,534 | *26,845 |
| Cash with | | | • |
| t'st's | 235,602 | 183,366 | *52,236 |
| Inventories | 789,052 | 799,374 | 10,322 |
| Accts, rec | 1,763,837 | 1,593,817 | •170,020 |
| Bills rec | 429,000 | 266,850 | *162,150 |
| Int. rec | 8,455 | 8,503 | 48 |
| Adv. & cur. | 0,100 | 0,000 | , - |
| accts | 184,981 | 1,687,737 | 1,502,756 |
| Agency bals. | 185,887 | 169,383 | *16,504 |
| Mkbl. stocks | 103,007 | 107,000 | 10,501 |
| & bonds | 598,609 | 598,742 | 133 |
| | | 1,165,984 | 359.081 |
| Cash | 806,903 | 2.080,774 | 48,696 |
| Def'rd chgs | 2,032,078 | 2,000,774 | 40,020 |
| T-4-1 61 | 102 017 701 | 101515672 | £107.979 |
| Total\$1 | 192,047,794 | \$192,343,072 | \$497,878 |
| Liabilities- | E1 710 071 | e F1 720 071 | |
| Pfd. stock\$ | 51,730,971 | | • • • • • • • • |
| Com. stk | 49,932,735 | 49,932,735 | |
| Stk. constit- | | | |
| uent cos. | | 4.40 | |
| outstdg | 1,697 | 1,697 | 11.11.11.11.1 |
| Bds. & debs | 73,140,580 | 73,502,533 | \$421,953 |
| Loans and | | | |
| migs | 724,238 | 726,837 | 2,599 |
| Lns and bls. | | | |
| pay | 768,699 | 6,326,989 | 5.558,290 |
| Accts. pay | 3,302,971 | 2,988,457 | *314,514 |
| Agency bals. | 148,131 | 168,026 | 19,895 |
| Int. accrd | 1,018,811 | 1,023,194 | 4,383 |
| Adv. & cur. | | | • |
| accts | 55,905 | | *55,905 |
| Reserves | 548,364 | 648,908 | 100,544 |
| Dfd. credits | 2,222,397 | 2,046,407 | *175,990 |
| Ins. fund | 1,000,000 | 1,000,000 | |
| Dep'n fund. | 7,173,389 | 2,138,766 | *5,034,623 |
| P. & L. sur- | .,.,., | 2,,,00 | -,00 ,,025 |
| plus | 278,906 | 250,152 | *28,654 |
| pius | 2,0,700 | | 20,004 |
| Total\$ | 192.047.794 | \$192 545 672 | \$497,878 |
| 4 O G 1 | , , | \$172,545,072 | φ 1 / 7 , 0 / 0 |
| *Increase | | | |

In his remarks to the shareholders of the International Mercantile Marine Co., J. Bruce Ismay, the president of that corporation, says:

"The steamers of the company's fleet were operated during the year without any serious casualty being sustained, the insurance fund showing a profit of \$791,-958. During the year substantial payments on account of floating debt were made from earnings, and the item of loans, etc., was reduced from \$6.326,989 to \$768,698.

"Under the sinking fund provision, \$279,000 of first mortgage Londs were retired, and the holdings of debenture bonds of constituent companies in the hands of the public were reduced from \$921,533 to \$778,579. More than \$5,000,-000 has been transferred to depreciation fund, making the total credit of insurance and depreciation over \$8,000,000.

SOLD AMERICAN VESSELS

"All the company's steamers and other property have been maintained in a high state of efficiency. The directors disposed of the American-built steamers Maine and Missouri at a satisfactory price because of the cost of operating

under an American registry. New vessels have been ordered for the various lines of the company, which are expected to be in commission by the early part of 1909. During the year four old steamers were disposed of, as they could no longer be employed to advantage. The number of steamers now in service being 123, with a gross tonnage of 1,015,761 tons.

"In 1906 the total number of passengers carried was 487,934, an increase of 54,706. Out of the 88,056 first class, 146,-187 second class, and 445,214 third class passengers, carried between British and North American ports, the International Mercantile Marine steamers carried 46,-139 first class, 53,277 second class and 182,350 third class passengers.

"The improvement in freights during the first quarter of 1906 was not maintained during the remainder of the year, the conditions being especially disappointing in the last quarter, due to the congested conditions of the railroads. This is ascribed as the reason for many of the steamers from North Atlantic ports sailing with a large amount of vacant space. The cargo trade to Australia and New Zealand was not as good as anticipated, but conditions have improved and better results are looked for during 1907. The reciprocal agreement with the Hamburg-American and North German Lloyd lines has resulted advantageously to International Mercantile Marine.'

At the aimual meeting of the company's shareholders yesterday, all the retiring directors were re-elected,

AMBROSE CHANNEL.

Dredging out of the 'harbor's bottom a matter of 42,500,000 cubic yards of sand, silt and rock, not unmixed with decayed garbage, is a pretty big job, even for government engineers, so when you ask them how long it will take to complete the improvement of Ambrose channel, they tell you frankly they don't know.

But when you ask about the recent feat of the Standard Oil Company's tankboat Phoebus in ascending this channel they smile in a superior sort of way, and tell you that the Phoebus might have done the same thing fifty years ago, had the vessel been in existence at that time. The Phoebus drew 19 ft., but the tide was high, the day was clear, and although the surveys show a shoal which, when the dredging was begun, was 141/2 ft., this could have been avoided, and the water showed ample depth at other points along the route. This shoal disappeared more than a year ago, and fully a year ago Sandy Hook Pilot Beebe took a freighter drawing 22 ft. through the channel.

Ultimately, Ambrose channel will afford a passage from deep water to the inner harbor, 35 ft. in depth, 2,000 ft. in width, and five miles shorter than the old channel for vessels of deep draught. The depth will be 5 ft. greater than the average for the old channel, allowing for the increasing size of trans-Atlantic steamers, which have been growing rather frequently of late. Ambrose channel will be, in fact, a submerged canal, of width sufficient to accommodate thirty great steamers like the Deutschland lying abreast. Aside from these advantages to navigation, there is still another point which will make the \$5,000,000 or \$6,000,000 involved seem well spent.

The old channel makes a sharp bend at what is called "So'west Spit," amounting to 116 degrees in the mile. That's a pretty sharp turn for an ocean liner. even under most favorable circumstances. Ambrose channel opens up from deep water at a point about half way between Coney Island and Sandy Hook; roughly speaking, about four miles from each. It runs as straight as a ruled line for about four miles, where there is a slight bend to the east, then straight ahead again for another mile and a half, where there is a second bend of no more formidable proportions, which leads into the Narrows, the total distance being about seven miles.

The work was undertaken by private contractors in 1899, but not much progress was made for the first year, the government making a time allowance for the building of dredging steamers. Then the government decided to work with the contractors. Last October the contractors drew off, and the work is now being prosecuted by the government alone, through the engineer corps of the army, Col. William Marshall being in charge. The undertaking has presented no engineering difficulties, except those of magnitude, and the necessity of dumping the material removed in deep water.

Two steamer dredges are now in operation. Each has hold room for a matter of 2,100 cubic yards of sand, and when the vessels are loaded to capacity they steam out to deep water, discharge cargo and return again. Ambrose channel now has a uniform depth of 35 ft., although much remains to be done before the uniform width of 2,000 ft, is attained. Within a few weeks it will be thrown open for the passage of trans-Atlantic liners. The saving in time amounts to from fifteen to twenty minutes-not much to outbound passengers, but a great deal to those coming home, with friends and relatives awaiting them, and to whom the last few minutes up the bay seem like hours.

NAVAL LAUNCHES CRITICIZED.

Criticism of naval launches has been aroused by the fatal accident at Hampton Roads in which eleven men lost their lives. The Army and Navy Register says:

"Referring to the deplorable accident to the Minnesota's steam launch, all the newspaper accounts have contained the statement that the boat must have been run down and cut in two, otherwise she would have been kept affoat by her water-tight tanks. The statement is wholly in error, as these launches will not float when filled with water, as has repeatedly been shown by the simple fact that every time they fill with water they sink, and this can be demonstrated at any time by testing any launch in the fleet while equipped with canopy, etc., for regular service work. The navy has lost a considerable number of launches in this manner, or has been put to the trouble of raising them from the bottom.

"Moreover, these launches are veritable death traps in case of an accident in bad weather, because they carry a heavy roof-like canopy, extending from the forecastle to the stern, and in rainy or rough weather the sides are completely inclosed by canvas curtains, securely lashed to the roof and the rail of the boat, thus forming a canvas deck house, which incloses all the occupants of the boat, both passengers and crew, and without a single opening, except a peep hole in the forward end for the coxswain

"The boats are built for comfort, and they accomplish the purpose of their design, as a passenger in rainy weather is as completely protected as though he were in a closed cab; but in case of accident while thus securely lashed in, an expert swimmer provided with a life belt has no possible chance of escape, even though the boat sirks within easy swimming distance from the shore. He cannot even hope to be heard if he cries for help.

"These boats are the laughing stock of all navies, being unique of their kind. No other nation builds such 'comfy' teats, or such poor sea boats. No other nation fits its boats with a fixed canopy supported on an iron framework and covered with dozens of coats of paint."

Rear Admiral Joseph B. Coghlan, retired, when shown the article said:

"The launches in the United States navy are the best affoat, by far. They do have canopies, but they also have curtains, and it is the officer's own fault if he lashes the latter down so as to make escape in case of an accident, difficult. But, anyway, they are held down by little ropes which it would be the easiest thing in the world to cut with a penknife. There are no better launches on earth than our 36 and 46-footers. As

for being built for comfort, that is a secondary consideration, for what they are really built for is use."

FOUR MONTHS' CLYDE SHIP BUILDING.

The total output of new tonnage on the Clyde for the four months of 1907 now completed is an advance on last year's output for the same period by close on 20,000 tons. The largest item contributing to this result, so far as April is concerned, was the Allan liner Corsican, launched by Barclay, Curle & Co., Whiteinch, twin-screw steamer of 12,000 tons with triple-expansion engines of 8,500 I. H. P. One of the smallest, and perhaps the most interesting items, however, was the twin-screw motor vessel Scout, of about 106 tons, launched by the Ailsa Shipbuilding Co., Troon, for David MacBrayne, Ltd., Glasgow. This vessel is being fitted with oil engines by the Griffin Engineering Co., Bath. The advance on the four months' output of last year of about 20,000 tons is, of course, also a much greater advance on previous record years; for example, 1905; with 141,000 tons; and 1902, with 140,-000 tons. It must, however, be remembered that except for the Indomitable, of 17,250 tons displacement, launched by the Fairfield Shipbuilding & Engineering Co., in March, no vessel approaching the tonnage of the Cunard Lusitania will fall into the coming year's record, except the sister ship to the Indomitable, to be launched within a month by John Brown & Co., Clydebank, and thus the first four months of the year are likely to carry off the honors in the matter of creating a good year's-but doubtfully a record year's-amount of work.

JAMAICA BAY COMMISSION RE-PORTS.

Maps, tables of estimates, correspondence, in all more than 160 printed pages, are required to set forth the facts relating to the improvement of Jamaica Bay as reported by the commission appointed by the mayor of New York, pursuant to a resolution of the Board of Estimate, dated March 2, 1906, made public recently. The commission was not confined in its investigation except by the exclusion of Manhattan Island and it clearly regards this large territory bordering upon Brooklyn's and Queens' rapidly growing suburbs as of chief importance.

The majority report assumes there is no occasion to fear that New York will lose her commercial supremacy, but adds that the port must provide in 1915 accommodation for one and a half times the amount of shipping for which it cared in 1899; in short, for an increased tonnage, making a grand total of 122,-450,000. Jamaica Bay water front is



The Canadians are trying an interesting experiment at North Sydney in an effort to expedite their European mails, thus still clinging to the notion that the waters off that coast are navigable. The scheme is to take off and put on there the mails and passengers of the steamers running to and from Quebec, thereby saving the difference of time between that

claimed by the city although the state also asserts title but the commission believes that the city can make good its claim. The bay presents a water surface of 16.170 square miles. There is beside marsh land, sometimes overflowed, making a total of 28,870 acres. The city's share, the commission tlunks, would be 4,660 acres, while 9,000 acres should be acquired by purchase. The cost of the land is estimated to be \$4,500,000, filling in at \$26,781,600, and timber and concrete bulkheads would bring the city's entire bill up to \$36,423,120. The commission holds the scheme for deep water dredging entirely feasible, thus affording ample wharfage accommodations.

CONSOL. STEAMSHIP LINES CO.

The gross earnings of the Clyde Steamship Co. for the first quarter of the current fiscal year ended March 31 were \$1,283,014, an increase of \$46,284, or 3.7 per cent over the corresponding period of 1906.

The gross and net earnings by months for the first quarters of 1907 and 1906 compare as follows:

 Month.
 Gross Jan.
 Net Jan.
 Gross Jan.
 Net Jan.
 428,151
 \$100,157
 \$440,497
 \$105,111

 Feb.
 387,959
 75,142
 357,257
 76,691

 Mar.
 446,903
 116,819
 438,975
 120,240

Total .\$1,283,014 \$292,118 \$1,236,730 \$302,043 The decrease of \$9,925 in the net earnings for the quarter was caused by unfavorable weather conditions, and by the tie-up incident to the longshoremen's strike in New York. Several of the northern rivers which the Clyde line navigates in making entry to some of its northern ports were frozen up by the severe winter weather at different times, resulting in temporary interruptions to the regular service.

The Clyde line has now been under the Morse management for more than a year and it is hardly to be expected that the results of 1907 will show the phenomenal increase over last year which 1906 showed over 1905, both in gross and net business. For example, net earnings in the March quarter of 1906 increased fully 110 per cent over the same quarter of 1905. This was the result both of a large gain in gross, of economy of operation, and of mild winter weather conditions.

EUROPEAN-CANADIAN ROUTE.

taken by the ships and by the railway trains, the one in traversing and the other in skirting the Gulf of St. Lawrence. The attempt to put this fine idea into practice came near being fraught with disaster. The little government steamer Montcalm left Sydney harbor with the mail bags that had left Quebec by rail seven hours after the steamer Virginian, of the Allan line, and after a perilous attempt to make the transfer, which had to be abandoned owing to the heavy seas which prevail there, the two vessels steamed well up into the harbor where 52 passengers and 334 packages of mail were successfully transferred to the liner. Much of the time which it was expected would be saved was lost and the smaller steamer received, in addition, very serious injuries. Still, the mail steamers are to continue to make these transfers until the Belle Isle route is opened, and it is said that this will result in a quicker delivery of the mails at Montreal, while the coast provinces will receive their European mails from 24 to 36 hours sooner than they would if the vessels

NEW ZEALAND LOSES STEAM-ER CONNECTION WITH SAN FRANCISCO.

made no stop before reaching Rimouski.

'The withdrawal of the Oceanic Steamship line from the New Zealand and Australian service has checked the trade between the United States and Australia. In 1905 the trade between Australia and the United States showed a balance of \$3,611,000 in favor of the United States. In the last ten years the trade between America and the British colonies in the South Pacific ocean had increased, according to the report of the American Consul-General at Auckland, New Zealand, 250 per cent. This trade had already reached considerable proportions and was growing. The lack of mail service has checked it. The passenger and mail service from New Zealand by way of San Francisco gave the colony its quickest means of communication with London and brought many American visitors to New Zealand. These tourists visited the springs and health resorts of New Zealand and spent money there. The colony, however, is partly to blame for the withdrawal of the trans-Pacific steamship line, for it is admitted that the subsidy paid by New Zealand for the mail service was not large enough. But the real and determining cause of the abandonment of the colonial service was the refusal of congress to authorize the payment of subsidies to the American mail steamers and merchant marine.

The ship owners of Canada are taking advantage of the situation and are making efforts to establish relations with

Australia and New Zealand An exhibition is being held at Christchurch in the South Island of New Zealand. The United States, though it has a large and increasing trade with the colony, has erected no building and made no exhibit at the Christchurch exposition. Canada, though her trade with New Zealand is of small importance, has been wise enough to erect a handsome building and sent an attractive display of the products of the Dominion to the exposition.

AMERICAN MERCHANT MARINE

"When American merchants have to send their good to Liverpool to be reshipped to South America, it is high time for us to get busy."

This was the keynote of a strong plea for an American merchant marine and an extension of American trade to the South American republics, made before the men who guide the nation's credit, by Frank S. Dickson, assistant adjutant-general of Illinois, who had come to Chicago to welcome 700 delegates of the National Association of Credit Men in behalf of Governor Deneen. With a force typical of a young man, the adjutant-general, who was the youngest member of the 59th Congress, pictured the need of "American ships, under the American flag, to carry American goods."

Mr. Dickson was the first speaker at the 12th annual convention of the organization, which held its initial meeting of a three days' session in the banquet hall of the Auditorium Hotel. The speaker told of his recent tour of inspection of the Panama Canal and pointed out the apparent lack of interest of American manufacturers in the opportunities of the South American

"With an area of 7,520,000 square miles, twice as large as the United States, American merchants control only 12.6 per cent of the trade," said Mr. Dickson, "Of the 4,742 vessels which entered the harbor of Rio Janeiro last year, there were only seven which carried the American flag and two of these were in distress.

He urged that the members of the organization use their influence with their representatives, for the establishment of a merchant marine. The things that were necessary to get the trade to which we are so close geographically, the speaker said, were to send representatives who speak the native tongue of the countries, manufacture such goods as they want and to adjust the credit system to meet their requirements, a feature studied and carried out by English and German merchants and finally the establishment of American banks.

 $A_{n} \in$

 $1 < \varepsilon$

1 (7.

 $I_{\rm CL}$

ė.u.,

MARISE

* lat."

THE SUEZ CANAL.

The report read by the president, Prince Auguste d'Arenberg, at the fifty-third annual meeting of shareholders of the Suez Canal Co. in Paris, is as follows:

The traffic through the canal, which had slightly declined in 1905, recovered in 1906 and somewhat exceeded the level attained in 1904, the highest then reached. The reduction in the dues applied from Jan. 1, 1906, might have caused a decrease of nearly ten millions in the receipts, but the loss was less than six millions, as the difference was made up by the increase in the tonnage. The prudent provisions you adopted in the accounts for 1904 and 1905 would have permitted us to provide for less favorable results. We are consequently enabled to propose to fix the dividend for 1906 like that of the two preceding years, at 141f. net, while making large appropriations to the statutory reserve and the amortization fund.

The total receipts in 1906 amounted to 111,989,122f., which was a decrease of 5,319,073f. on 1905. The loss of 5,868,135f. in the navigation dues was, however, set off by an increase of 550,000f. in the receipts. The total expenses, which amounted to 42,279,-469f., including a transfer of 4,000,000f. to the amortization, and 150,320f. to the insurance and casual funds, were 1,295,285f. more than in 1905. greater part of that increase was due to works of maintenance. The surplus of receipts over expenditure shows, compared with the year 1905, a diminution of 6,614,359f. and amounts to 69,709,653f., or, after an application of three per cent or 2,091,289f. to the statutory reserve, to 67,618,363f., to which has to be added 15,672f., carried over from 1905, and forming a total of 67,634,036f. We propose, in order to pay a net dividend of 141f., to take a sum of 3,800,000f. from the special reserve, constituted from the surplus profits of the two preceding years, so that the total sum available for dividend is 71,377,464f. This dividend will absorb 71,377,464f., leaving 56,-571f. to be carried forward.

The expenses representing the cost of the ship canal are entered in the inventory at a sum of 612,486,201f., which, as compared with the year 1905, is an increase of 6,435,744f., corresponding to the work of improvement during the year. The value of the plant and buildings increased in 1906 by a sum of 444,023f., making a total of 48,752,673f., the difference being due to the surplus in the cost of new material over that disused. The value of that struck out of the inven-

tory was covered in the great part by the amortization fund, which, with the addition of the sum realized by the sales of old stores, increased on the year by 3,788,486f., and amounts to 41,879,020f. The insurance fund had to be debited the expense caused by an accident to one of our dredgers. On the other hand it has been credited with a benefaction of 150,320f., which restores the fund to its former amount of 1,500,000f. The statutory reserve, with the appropriation of 2,-091,289f., now amounts to 25,570,206f., and the special reserve of 8,000,000f. is reduced to 4,200,000f. by the application of the sum required to complete the dividend for 1906.

During the year 1906, 3,975 vessels. representing 13,445,504 tons, passed through the canal. Compared with 1905 there was a decrease of 141 in the number of ships, but there was an increase in the tonnage of 311,399 tons. The development of the traffic in 1906 was, therefore, evidently due exclusively to an increase in the average tonnage of the ships. have had frequently occasion to remark on the importance of that fact from the standpoint of the company's receipts, and the movement was especially accentuated last year, the average tonnage per ship, compared with 1905, having increased from 3,191 tons to 3,382 tons.

An important modification was recently introduced into the regulations concerning the passage of vessels carrying petroleum in bulk. Although the change took place since the year covered by the present report, we have thought necessary to explain it to you. When in 1891 the passage of ships carrying petroleum in bulk was authorized, the company imposed certain conditions, limiting the permission to the carriage of refined petroleum, and explicitly excluding crude petroleum and essences. In consequence, however, of the considerable importance resulting from the development in the use of automobiles and the consumption of the essences of petroleum, the company was solicited by the owners of vessels which now import that liquid from the Dutch Indies by the Cape of Good Hope route in great quantity. We were led to admit that we could not maintain the interdiction resulting from the regulations adopted in 1891. After an inquiry at the principal ports at which the cargoes of essences in bulk were imported, we decided on authorizing in principle the transit of such cargoes by the canal. But at the same time we established a series of regulations of a nature to remove all risks

of danger, and ensure the safety of navigation in the canal.

The ship canal and the Port Said channel were maintained in a good condition of navigability in 1906 by the extraction of 167,697 cubic meters of dry earth and 2,602,716 meters cube of dredging, of which 1,475,843 were in the canal proper and 1,126,873 at Port Said. In conformity with the program already laid before you, the dredging is being carried to a depth of 101/2 meters. At the end of 1906 there were only a few points where the depth was less than 91/2 meters. When the works undertaken this year are completed, the depth will be secured all along the canal line. We have, in consequence, decided to increase to 8.53 meters (28 English feet) from Jan. 1, 1908, the maximum draught for ships, which is now 8.23 meters (27 English feet). In order to be able to maintain and improve the soundings in the roads and the pass to the entry of Port Said, we have ordered from Messrs. Lobnitz & Co., of Renfrew, a third dredger, similar to the Ptolomee, supplied to us by the same builder in 1905. That vessel, which will be capable of dredging to a depth of 14 meters, will be one of the most powerful in the world.

LLOYDS REGISTER OF YACHTS.

The 1907 edition of Lloyds Register of American Yachts, now in its fourth year, is just from the press. The book contains the full particulars of nearly 3,500 yachts owned in the United States and Canada, together with the names and addresses of their owners, 1,872 colored illustrations of private signals, and over 300 club burgees. The officers of nearly 350 yacht clubs and yachting associations are also given, making the book an indispensable acquisition to all persons interested in yachts and yachting. All the yachts in the book are grouped in one alphabetical list regardless of types of hull, rig, or means of propulsion. This system was determined upon because there is now no clearly defined line between power and sailing yachts and there is a constant changing of yachts from one division to another. As is usual with all of Lloyds publications, the work has been most thoroughly done. The price of the book is \$7.50 and applications for it should be addressed to Lloyds Register of American Yachts, 15 Whitehall St., New York.

The barge Montezuma, which was aground at the Lime Kilns for over a week, was released last week by the lighter Newman.







DEVOTED TO EVERYTHING AND EVERY INTEREST CONNECTED OR ASSO-CIATED WITH MARINE MATTERS ON THE FACE OF THE EARTH.

Published every Thursday by

The Penton Publishing Co. CLEVELAND.

| BUFFALO | . 932 Ellicott Sq. |
|----------------|--------------------|
| CHICAGO 136 | 2 Monadnock Blk. |
| CINCINNATI 124 | Government Place. |
| NEW YORK1005 | West Street Bldg. |
| PITTSBURG | . 521 Park Bldg. |
| DULUTH411 | Providence Bldg. |

Correspondence Marine Engineering, Ship Building and Shipping Subjects Solicited.

Subscription, U. S. and Mexico, \$3.00 per annum. Canada, \$4.00. Foreign, \$4.50. Subscribers can have addresses changed at will.

Change of advertising copy must reach this office on Thursday preceding date of publication.

The Cleveland News Co. will supply the trade with the MARINE REVIEW through the regular channels of the American News Co.

European Agents, The International News Company, Breams Building, Chancery Lane, London, E. C. England.

Entered at the Post Office at Cleveland, Ohio, as Second Class Matter.

June 27, 1907.

IMPROVING DULUTH HARBOR.

On Tuesday, Wednesday and Thursday of last week the second board of United States Engineers appointed within a year to consider the matter of improving the harbor at Duluth, met at that city, examined the harbor, listened to the opinions of the local interests represented at a public meeting and discussed the problems with the local United States engineers. No information concerning the opinion arrived at by the board was given out. The public meeting however brought out a number of points which will doubtless influence the board in its final decision. Dock owners, marine men and citizens of Duluth seem to be practically unanimous in their favoring of the breakwater plan and but one man who has in the past represented the interests desiring the central canal

made any substantial arguments for that scheme. It is to be regretted that both propositions were not presented on the same basis.

As recorded in editorial comment in the Marine Review of Aug. 9 and Dec. 13 à board of engineers was appointed last year for this same purpose, who having duly visited Duluth and studied the situation as thoroughly as possible, recommended certain improvements for the Superior entry, which are now being carried on. The significant fact remains that the board made no further provisions for the altering of the Duluth entrance but stated on the other hand that were the present Duluth canal not already built a recommendation would have been submitted to construct a canal through Minnesota Point, farther to the south, or as more commonly spoken of, a central canal.

While no official explanation of the report has been vouchsafed the inferences to be drawn from it are fairly clear. First, the locating of the Duluth canal, as it now is rather than opposite the entrance to the river, was in the opinion of that board a mistake and that so far as the two canals are concerned, considering all the arguments as to inner harbor conditions, dangers and advantages to vessels entering port and the topographical situation, a central canal is the proper entry. This belief would, of necessity, carry with it whatever protection the central canal-would require and had the present canal not entered into the question there seems to be no other interpretation of the former board's report than that a central canal was desirable regardless of the cost.

As a preface to the second inference it may be pointed out that no board would have any reason for neglecting to recommend such improvements as it saw were necessary even if it could anticipate that another board would be appointed to consider the same matter before any occasion demanding the improvement would arise. It remains a fact however, that the board last year saw fit to leave the Duluth canal just as it was, despite the strong arguments that were made then for the breakwater. The second inference

seems to be therefore that at the first investigation, whether or not the breakwater was considered a menace to navigation it was at least not considered a solution of the problem. In other words the conditions at the Duluth entrance as they are now would not be sufficiently improved by the building of a breakwater to justify the undertaking. No other conclusion is patent since the board had full power to recommend.

As opposed to what appears to have been the opinion of this board, the opinion of the many experienced engineers, marine men and business men having marine interests at Duluth, which opinion is practically unanimous in its support of the plan to build a breakwater out from the north shore far enough to run past the canal entrance and far enough from it to provide a large anchorage of sheltered water for the entering fleets in time of storm, carries much weight. The wish of Duluth and Superior may be said to be the building of such a breakwater. All interests are united however in an urgent plea based on business conditions and prospects at Duluth that whatever be found to be the adequate solution in the minds of those best qualified to judge, that plan should be recommended and carried out to completion. From the standpoint of expense it was argued that the great shipping to be benefited would justify the necessary cost. Duluth can, therefore, scarcely object the central canal with any great consistency on the grounds of expense and in any case the expense is entirely the government's consideration. If the government were disposed to debate between the two plans on the question of cost and favor the less expensive regardless of final effectiveness there might be some wisdom in asking for what is most likely to be obtained but the utter lack of evidence of any disposition on the part of the government to do anything but what will afford a final solution of the difficulties at the head of the lakes, obviates this viewpoint and places the entire discussion on the basis of the relative merits of both projects.



The opposing ideas are briefly these. Those favoring the central canal, and they may be classed as the vessel interests all over the lakes, believe that the central canal is the necessary and proper improvement and that it was so conceded by the last board. They contend, therefore, that if the central canal is the correct entry, the interests at stake are great enough to justify the government in providing the entry, now that the error of building the other canal is discovered, instead of jeopardizing property of much greater value than the canal by continuing in the mistake, or, instead of throwing good money after bad by attempting to patch up a situation that may even be made the more dangerous thereby and at least will always be unsatisfactory. The advocates of the breakwater are not only those who believe that the breakwater with the present canal is the only correct entrance but also those whose opinion is controlled by the fact that the present canal is already built and who say, "What is the use of throwing away what we already have."

The arguments in support of each belief have been given in more or less detail heretofore and practically the same ground was covered at this investigation as at the previous hearing. The situation briefly is this. Especially unfavorable conditions unlike those at other lake harbors exist at Duluth because of its location at the end of the long narrow western point of Lake Superior where the prevailing northeast wind is focused upon the harbor, raising heavy seas and driving the water up into the bay through the entrance. From the navigator's standpoint, beyond the dangers that attach to making an entrance into any harbor, the unusual difficulties are-remembering that the majority of boats come to Duluth light-handling the boat in the gale, meeting the outgoing current at the canal entrance, a current that results from the piled up waters in the bay, and maneuvering the short turn immediately inside the canal which does not allow a boat to make a run for the harbor under full headway. More room is the eminently desirable feature, for it is only reasonable to suppose that whatever the weather conditions, one point would be practically as easy for a captain to find as another and should he miss the entrance the result would be equally disastrous save perhaps at some point on the sandy beach of Minnesota Point.

From the harbor standpoint the cry for improvement comes because of the surging waters in the bay during a storm with the resulting large damage to dock property and delay in shipping. All the arguments and differences of opinion have resulted from the attempt to provide for both sailor and harbor. If no solution is possible whereby both may be equally protected it is to be hoped that the lesser need will cordially support the protection of the greater.

The breakwater should be built, it is claimed for the following reasons. It will protect the present canal and prevent harbor conditions now prevailing. It will provide a sheltered harbor for vessels and quiet water in which to make the entrance. It will afford the much needed anchorage ground at Duluth. It is the least expensive proposition possible. It will not obstruct the ship course into the harbor and it will avoid the great danger now existing of a boat going down in the canal without the possibility of notifying following boats of the obstruction. Taking issue with these statements it is argued that a breakwater jutting out into the lake cannot be other than an additional menace to navigation, that room is already much too cramped and that a 600 foot boat would not be able to shape her course for the entrance after running in by the breakwater without difficulty and that it is not so much rough water but the wind that is difficult to combat.

In support of the central canal it is argued that a wider canal should be built, that a great shortening of distance in making their docks would result for the large majority of boats and that a central canal would be the easiest and safest entry for the navigator. It is also claimed that a central canal can be so protected as to bring no additional disadvantages to the interior of the harbor. It is conceded

that the central canal will be the more expensive construction but laying this consideration aside there seems to be no substantial refutation of the above arguments in favor of the central entrance.

The engineers have an interesting controversy to decide and one in which the weight of evidence on both sides for one reason and another demands careful consideration. The recommendation of this board should cover the situation and should be final. Adequate opportunity has been afforded for investigation. A report is expected which will provide for the situation and when given should be accepted as the wisest solution discernible.

FREIGHT SITUATION.

When the figures for the present month of June are in they will probably offer new evidence of what the lake fleet is capable of doing. The weak link in the chain has not been the ships but rather the docks, but docks have during the past two years undergone considerable transformation and notably so within the past year. The largest cargoes are being discharged easily in a working day. It is quite probable, therefore, that the June record will be heaviest yet attained on the lakes, the ore movement alone being well over 6,000,000 tons. Notwithstanding the freedom with which ore is moving there is a fine demand for tonnage all around. The lake trade as a unit was really never in better shape than now. Vessel owners in general are so well taken up with contract ore that there is little tonnage on the market,

Coal is moving forward freely, but the rates for the great proportion of the movement are the same as they were at the opening of navigation, though small cargoes to Lake Michigan ports command a premium.

The grain trade from Chicago is quite attractive to the smaller class of vessels, figuring about ten cents better than the rate on ore from Escanaba.

The Weston Transit Co. has taken Capt. John Hesson and Engineer Cottrell, of the steamer Wm. B. Kerr, to supervise the construction of the steamer W. M. Mills at Lorain, and placed Capt. George Honner and Engineer Harry Depuy in charge. Capt. Thomas Derringer will bring out the new steamer Leland S. DeGraef and Frank Trunwalder will be her chief engineer.



HAMBURG-AMERICAN PACKET CO.

The Interstate Commerce Commission Will Investigate Charges
That It is a Monopoly in Restraint of Trade.

Charges disclosing an ironclad trust in trans-Atlantic freight carrying—a combination accused of defying the United States laws and using the most drastic of illegal coercion—have been filed with the Interstate Commerce Commission against the Hamburg-American Packet Co. The commission has decided to begin an inquiry, which will be one of the greatest ever undertaken in this line.

The complainant is the Cosmopolitan Shipping Co., of Philadelphia, operating lines to Rotterdam, Leith, and Copenhagen. This company raises a great national and international question in charging that the huge combine is a monopoly in restraint of trade, in its almost absolute control of east-bound and west-bound traffic between interior points of the United States and Hamburg, and, further, that it maintains a law-defying pool in New York City, which dictates the rail and ocean routes by which freight for Baltic ports shall be shipped, the percentage of traffic which steamship lines in the pool shall carry, and the percentage of export business that shall pass through Boston, New York. Philadelphia, Baltimore, Norfolk, and Newport News.

In other words, it is charged that this great corporation, backed by the German government, dictates terms, rules, and rates to shippers all over the United States who forward goods to Hamburg and Baltic ports; and further, that it diverts freight to and from American ports at its own will, without regard to the natural flow of trade, using coercive and unlawful methods to crush competition.

The Cosmopolitan Line's complaint, formulated by Frank L. Neall of Peter Wright & Sons, of Philadelphia, the general agents, distinctly disclaims objection to competition. But it adds:

"We do believe, however, that pooling, combinations, and intimidations, the latter in certain instances approaching blackmail, are not legitimate forms of competition."

The complaint alleges:

"1. The Hamburg-American Packet Co. maintains and manipulates a monopoly of westbound or import traffic forwarded on local and on through bills of lading from Germany and other Continental countries, per the German State railroads, etc., via Hamburg and destined for the United

States cities of Chicago, St. Louis, Kansas City, Omaha, Duluth, Minneapolis, Cleveland, and other consuming centers to and, or through the North Atlantic ports of Boston, New York, Philadelphia, Baltimore, Norfolk and Newport News.

"2. Restraint of trade and monopoly of eastbound traffic by the Hamburg-American Packet Co., originating at interior points within the United States and destined to interior European countries via the United States north Atlantic ports of Boston, New York, Philadelphia, Baltimore, Norfolk and Newport News, and Hamburg, Germany.

"3. Pooling in restraint of trade by the Hamburg-American Packet Co. of traffic originating at interior points within the United States destined for Raltic ports."

The complainant also alleges that the Hamburg-American Packet Co., together with the other members of the pool, has divided the field, stipulating the per cent of traffic each subsidiary is to carry, and dictating the rail and ocean routes for freight for ports on the Baltic, and also determining what percentage of traffic each of the six Atlantic ports in this country, mentioned in the complaint, is to be given.

It is charged that this great monopoly is backed by the German government and that among the subsidiaries controlled by the Hamburg-American Packet Co. are the North German Lloyd, Scandinavian-American, and Wilson (Hull) lines, controlling in this vast combine 97 per cent of the traffic of the Atlantic to Balt'c ports, originating in the United States. The percentages are alleged to be as follows:

100

The complaint, continuing, says that "the volume of traffic assembled in each of these seaports is so distributed as to insure each of the respective members of the pool their arbitrarily agreed upon percentage of the traffic actually moved. These percentages are regulated and controlled in New York by means of frequent

reports and comparisons of records.

"When a given line is ahead of its pro rata as agreed in the pact, its rates are temporarily advanced so as to put it out of the market while the services that were behind their assigned percentages in the pool maintain their old rates or, when necessary, lower them temporarily until after their apportioned percentages are recovered.

"Such an apportionment among the respective members of the pool involves the determination both as to kind and amount of the traffic originating in our western cities which is to be forwarded to each of the ports on the Atlantic seaboard. This is discrimination.

"The Hamburg-American Packet Co., the aggressive, predatory commercial advance agent of the German imperial government, is the greatest steamship monopoly in the world. Its lines reach almost every country on the globe.

"It has a fleet with a gross registered tonnage of approximately 1,000,000 tons. Its ambition is world-wide, and to reach its end it would crush out all competition.

"The blighting effect of this foreign monopoly is soon told. For many years the congress of the United States, the successive administrations. and the vast commercial interests of the country have legislated and striven to build up and restore our lost prestige and ascendancy on the seas. Many of our statesmen have even advocated subsidies as a means to this end. With what result? Thanks largely to the overshadowing influence of this corporate mammoth-the Hamburg-American Packet Co .- the total merchant marine (steam) of the United States, in vessels of 2,000 gross tons register or over, that is, of vessels capable of performing trans-Atlantic or trans-Pacific voyages, represents a tonnage of only 935,000 gross register; less than the tonnage of this one German line-the Hamburg-American Packet Co."

In conclusion it is claimed:

"First. That the Hamburg-American Packet Co. is a monopoly in restraint of trade, exercising through its contracts the power to control traffic both eastbound and westbound, between Hamburg and interior cities in the United States and to determine



the rates and routes for such traffic. "Second. That the Baltic pool, of which the Hamburg-American Packet Co. is the controlling factor, is a combination in restraint of trade, dictating the percentage of traffic, from interior cities of the United States to Baltic points, which shall flow through each of the north Atlantic ports mentioned, to the end that each of the lines composing the pool may receive its allotted proportion of the business and no more.

"Third. That the wise and careful efforts of the Interstate Commerce Commission to preserve the equality of opportunity of these north Atlantic ports and to prevent discrimination between them is nullified by this arbitrary division of traffic between the lines of the Baltic pool.

"Fourth. That the acts complained of in this petition are in violation of the laws of the United States.

"Fifth. That the efforts of congress and of the recent administrations to rehabilitate the American merchant marine have been hampered and rendered abortive by this monopoly and combination.

"Sixth. That there is little use in advocating further legislation proposed for the benefit of our shipping if at the same time we allow our present laws to be violated by an unscrupulous foreign corporation in its efforts to suppress American competition on land and on sea."

Representatives of the big foreign shipping companies accused of this combination in restraint of trade have spoken in the defense of their respective lines in the public prints averring the charges to be untrue. Mr. Emil L. Boas, general manager of the Hamburg-Américan line, said: "There is a great deal of notoriety seeking in this thing. I understand that Peter Wright & Sons have a monopoly of the towboat business in Philadelphia, and when the first Rotterdam liner went to that port they refused her a That shows how these champions of free and unrestricted trade act in their own field."

Gustav Schwab, general manager of the North German Lloyd line, said: "I have nothing to add to the remarks made by Mr. Boas, against whose line the complaint is brought, except to say that the inference conveyed is an attempt to arouse a feeling against foreign steamship lines. That the complaints represent American capital I deny, for the line is owned by foreign capital, and not by American. I do not care to go into the subject further."

That the complaint is not based

upon accurate reports is the opinion of Manager Sanderson of the Wilson line, whose steamers run to Hull. "The report is very incorrect," he said, "and I think that those making the report are mistaken. We have no such arrangement or agreement as charged."

Paul Gottheil, manager of Funch, Eddye & Co., 8 Bridge street, who act as freight agents for the Scandinavian-American line, said: "If you could see the amount of business we do at almost ruinous rates you would not think we were in a combination for the restraint of trade. If you will compare the freight rates from New York to the Baltic you will find them in many instances less than to Philadelphia, and decidedly less than from New York to gulf ports. I think that the Hamburg-American line has done much to develop the foreign trade of the country.

"Our own service has done much to develop trade to Scandinavian ports. The farmers of the west, the milling industry, and the manufacturers are enabled to compete with Europeans at a minimum cost. In the last industries rates have been made which make possible competition with Germany and England."

The Cosmopolitan Shipping Co. in its complaint states that it does not "seek to have ameliorated any of the conditions which fair competition may impose, but believes that pooling, combinations and intimidations, the latter in certain instances approaching blackmail. even under the semblances of competition, are not legitimate forms of competition," but on the contrary desires "to place themselves in line with the Interstate Commerce Commission in its recognized advocacy of the fullest freedom of competitive conditions."

STEAM YACHT REVOLUTION.

The steam yacht Revolution had official trial trip on the Hudson river last week with the new reciprocating engines and Seabury safety water tube boilers, which were installed to replace the Curtis turbine engines, recently removed by the Gas Engine & Power Co., and Charles L. Seabury & Co., Consolidated, Morris Heights, New York City. The run was made from Fort Washington Point to Ossining and return, the yacht averaging a speed of 211/2 miles per hour, which was an increase of half a mile per hour over the contract guarantee. Everything worked very smoothly, to the entire satisfaction of Mr. F. Augustus Heinze, the owner, who was aboard, also Mr. E. C. Seldon, superintending engineer of the Clyde line, and Mr. Sanford Robinson,

who represented Mr. Heinze. The builders were represented by Mr. Charles L. Seabury, the designer of the boat and machinery. The yacht will now be placed in commission for Mr. Heinze's use.

MISCELLANEOUS.

An explosion of gasoline aboard the British submarine boat C-8 recently cost the lives of a lieutenant and three seamen. The explosion was due to an accumulation of gas. The submarine was not damaged. This is the fifth accident to British submarine boats since February, 1905.

The naval destroyers Blakely and Whipple were recently in a collision resulting in serious damage to the Blakely, although the Whipple was not injured. The Blakely has been placed in dry dock at the Norfolk navy yard. The accident was due to an error in the engine room, going ahead full speed when signaled to back.

The special board of naval officers which was appointed to investigate the collision between a government launch and Mrs. Alfred G. Vanderbilt's yacht Caprice has awarded damages in the sum of \$250 to her. The launch was returning from the German cruiser Bremen, lying in Newport harbor, and bore Rear Admiral John P. Merrell and several other naval officers.

The Jones & Laughlin Steel Co. is engaged in building 50 river barges, the most important work now in progress in the Pittsburg district. They will also start work soon on three tow boats of the larger type. The company is to have a complete fleet for bringing down coal and coke from the upper river points to the new works at Aliquippa.

A. D. Mearns has recently been appointed general manager of the Cunard Steamship Co., succeeding the late Mr. Moorhouse. Mr. Mearns' position as secretary has been filled by the appointment of Walter Dranfield. During the illness of Mr. Moorehead Mr. Mearns has filled the dual position of secretary and manager so he comes to his new office with every advantage to be gained through a working knowledge of the duties.

It is stated that it is probable that when the new Cunard liners Mauretania and Lusitania arrive at New York, which will probably be some time in the fall, it will be possible for them to enter via the new Ambrose ship channel. Work is proceeding on this channel at a satisfactory rate and the large German tank steamer Phoebus, drawing 20 ft. of water, made the passage of the channel without mishap last week.



http://www.hathitrust.org/access use#pd-google

AT HEAD OF THE LAKES.

Duluth, June 24.—Another record will be broken by the Duluth, Missabe & Northern docks for June. Already these docks have shipped over 1,500,000 tons of ore since June 1 and by the end of the month will have exceeded the 2,000,000-ton mark. Boats have been plentiful during the past week and the prospect is good for the next few days. A large amount of coal continues to arrive. The ore shipment figures for the head of the lakes for the week June 14-21 were as follows: Duluth 487,574 tons, Two Harbors 337,759 tons and Superior 285,212 tons, a total of 1,110,545 tons. During the same week a year ago Duluth shipped 357,960 tons, Two Harbors 290,801 tons and Superior 210,203 tons, a total of 858,964 tons or 251,581 tons less than this year. This year now has a margin of 1,395,-044 tons over 1906.

The grain traffic continues very light, receipts and shipments being as follows:

| | WEEK | ENDING | | |
|--------|------|--------|-----------|------------|
| | | | Receipts. | Shipments. |
| Wheat | | | . 387,363 | 851,300 |
| Corn | | | 8,051 | |
| Oats | | | . 31,206 | 133,961 |
| R-e | | | . 2,885 | |
| Barley | | | 34,467 | 8,455 |
| Flax | | | . 111,177 | 262,875 |

IRON SITUATION.

The first half of the year is closing with an exceeding quiet market in iron and steel lines, but with no cause for alarm. Spot quotations for pig iron are lower, due to the furnaces' ability to furnish better delivery. Crude steel is easier. An adjustment of the negotiations between the Pennsylvania railroad and the Carnegie Steel Co. for the manufacture of the Cassatt rail at \$33 is believed to be probable. New rail business is heavy. The agreement between the American Sheet & Tin Plate Co. and the Amalgamated Association to maintain the present wage scale on sheets and tin plates precludes labor troubles for the coming year.

DETOUR FOG SIGNAL.


Editor MARINE REVIEW:-A statement made in your issue of May 16, tends to convey the impression that the Detour fog signal is defective. The Detour fog signal happens to have an unusually efficient and faithful keeper, and it is the best steam fog signal, so far as I know, upon the great lakes. Steam can be gotten up in from 10 to 15 minutes, and as a feed water heater in practically constant service, not hesitate to the keeper does whenever there signal the is any possibility of its being needed. The author of the statement has explained it by saying that he believed there were silent zones around the sig-

As soon as this statement was made. I directed the master of the tender Amaranth to investigate the conditions locally, and he reports that with the full pressure of 90 pounds carried on the fog signal boiler, there is a small silent zone about 51/4 miles SE of the signal, and a semi-silent zone which extends from quite close to the signal, a distance of about two miles. On all other courses run by the tender, the signal was audible at distances of oven six miles. Lack of time prevented a longer investigation, but the facts as reported by the master of the Ama-

The officers of the Ashtabula Steamship Co. are: E. S. Henry, president: George A. Gaston, vice president; E. W. Savage, secretary and treasurer. These in addition to T. J. Renicke, H. A. McKinnon, Oscar Olsen and Alexander Hynd, constitute the board of directors.

BLUE BOOK OF AMERICAN SHIPPING.

The 1907 edition of the Blue Book of American Shipping is just off the press. This book is the standard marine directory of the United States. It



ranth, show that the signal is plainly audible at a sufficient distance to enable careful navigators to orient themselves, and that the one zone of absolute silence, covers a space which is usually traversed in the time between two blasts of the whistle, so that only two blasts could possibly be lost.

A sketch herewith, shows the courses which were run, and the extent of the silent and semi-silent zones.

CHARLES KELLER. Major, Corps of Engineers, U. S. A., Lighthouse Engineer.

ANOTHER FREIGHTER.

The Ashtabula Steamship Co., an organization composed of Ashtabula and Cleveland' men is negotiating with the Great Lakes Engineering Works for a steamer to come out in the spring of 1908 and to be 440 ft. over all, 420 ft. keel, 52 ft. beam and 28 ft. deep. Such a steamer will have a carrying capacity of 7,500 tons on favorable draught.

contains the name of every vessel of American register, together with the name and address of the owner. This list is complete and embraces coast, lake and river vessels. It contains a list of ship owners, ship, engine and boiler builders, power and pleasure boat builders, manufacturers of gas and gasoline engines, names and addresses of naval architects, marine engineers and vessel masters. It is, in fact, a complete directory of everything pertaining to American shipping, giving particulars of vessels of the United States navy, dry docks of the United States, heads of government bureaus in the United States and Canada connected with shipping, public works contractors, wrecking companies, maritime associations, purchasing agents, superintending engineers, in fact a list invaluable to those who desire to reach the marine field. The Blue Book of American Shipping is published by the Marine Review and is for sale at \$5.00 a copy.

3.400

Mr. Salar

11 ...

Barr

!ER!(4)

jist ji

BATTLESHIP AND ARMOR BIDS.

Proposals for the construction of the two big battleships of 20,000 tons authorized by congress at its recent session were opened last week at the navy department. There were only four bidders, the Fore River Ship Building Co., of Quincy, Mass.; the Cramps Co., of Philadelphia; the Newport News Ship Building & Dry Dock Co., of Newport News, Va., and the New York Ship Building Co., of Camden, N. I.

Altogether, they submitted 15 bids for the various classes, including the department's designs and those suggested by the bidders. Between the highest and the lowest bids there is a difference of more than \$1,100,000, and while this is surprising to the department, it is no more so than the fact that the general average of the bids is so low.

The Newport News company underbid its competitors by many hundreds of thousands of dollars, and it is probable that this company will get one of the big ships, and that the other will go to the Fore River company, which was the next lowest bidder. The bids as opened are as follows:

Fore River company—Department's designs, \$4,400,000; class 3, builder's designs, Curtis turbines, to be delivered in 34½ months, \$4,377,000.

turbines, to be delivered in 34½ months, \$4,377,000.
Cramps' company—Department's designs, \$5,100,000; classes 3 and 4, builder's designs, 36 months' delivery, speed 21 knots, Parson's turbines, but not including cruising turbines, \$5,050,000; same classes, slight changes, \$5,030,000.
Newport News company—Department's designs, 36 months' delivery, \$3,987,000; classes 3 and 4, Parson's turbines, and including cruising turbines, \$4,100,000; department's design, with builder's machinery, etc.. Parson's turbines, \$4,100,000; slight changes, and not including separate cruising turbines, \$4,090,000; same as last, with cruising turbines, \$4,100,000; 'slight changes, and not including separate cruising turbines, \$4,100,000; slight changes, \$4,090,000; same as last, with cruising turbines, \$4,120,000; 'slight changes, \$4,000,000, with Parson's turbines, but without separate cruising turbines, \$4,530,000.
Contract for one battleship will be

Contract for one battleship will be given to the Fore River Ship Building Co. and for the other to the Newport News Ship Building & Dry Dock Co.

Bids also were opened at the department today for armor for the two big ships. There were three bidders: the Carnegie Steel Co., the Bethlehem Steel Corporation and the Midvale Steel Co. As heretofore, the bids of the Carnegie and the Bethlehem companies were identical, even to the date upon which deliveries would begin and a letter insuring the government against the payment of royalties on patent processes for armor making.

The bids of the Carnegie and Bethlehem companies were \$420 a ton for 7,456 tons, class A armor, and \$400 a ton for class B and C, of 952 and 392 tons respectively.

The bids of the Midvale company were \$410 on all classes, and for the same amount as the other companies. The Midvale company proposes to begin deliveries within six months after the contract is awarded and continue at the rate of 60 tons a month. The other companies agree to begin deliveries on Dec. 20 and continue at the rate of 60 tons a month.

TERMS USED ON SAILING VESSELS.

FOR WHEELSMEN AND WATCHMEN.

Although you are in a steamboat, it is quite necessary to understand the meaning of the different terms and phrases used on a wind-jammer

In Stays. The situation of a vessel after her helm has been put down and she has come up in the wind preparatory to going about on the other tack. "Helm down" or "down helm" means to put the helm toward the low side of the ship, which is always the lee side; that is, the side ship is listed on from the force of the wind on her sails.

In the Wind. When a ship is so close to the wind that all her sails are shivering or shaking.

Keep Her Full. An order to the helmsman to keep the sails full of wind.

Keep Off. An order to the helmsman to keep the ship's head more away from the wind

Keep Your Luff. An order to the helmsman to keep the ship close to the wind so that the sails will shake or tremble slightly.

Look Up. A vessel is said to look up when by the changing of the wind she is enabled to point closer to the place of destination.

Miss Stays. When a vessel fails to go around in tacking she is said to miss

No Higher. An order to the helmsman not to bring the vessel any closer to the wind. Steering high.

Out-point. For one vessel to sail closer to the wind than another is to out-point. Also known as sailing higher.

Pay Off. When a vessel's head falls off from the wind she is said to pay off. Wind's Eye. The exact point from which the wind blows.

Windward. The point or direction from which the wind blows. Same as weather.

Weather Helm. A vessel carries a weather helm when her tendency is to come up into the wind, requiring the wheelsman to put the helm up. Helm up and weather helm mean the same, that is, put the helm toward the high side of the ship, which of course is always the weather side.

Weather Shore. The shore to windward, or the shore the wind comes from Weather Side. The windward side; the side the wind blows on.

Helm Down. To put the helm down toward the lee side, so as to bring the ship's head into the wind. Lee helm is the same thing as helm down or down

Helm Up. To let the vessel go off from the wind by putting the helm toward the weather or high side.

Helm's a Lee. Signifying that the helm has been put over to leeward.

Do not get starboard and port helm mixed up with up helm and down helm, or with weather helm or lee helm, for starboard helm could be either weather or lee helm. Weather or lee helm or up and down helm, depend for their names which is the lee and weather sides of the ship. The wind controls them, but not so with starboard and port. These sides are not interchangeable as lee and weather. They are fixed positions and remain always the same while the others do not.


Aweather. When the helm is put in the direction from which the wind blows. The high side.

Lectuard. The lee side. In a direction opposite to that from which the wind blows, which is called windward. The opposite of lee is weather, and of leeward is windward.

TRIALS OF QUILPUE.

The new twin-screw steamer Quilpue, built by Messrs. William Beardmore & Co., Dalmuir, Scotland, for the Pacific Steam Navigation Co., completed her trials recently at Liverpool. The Quilpue is the second of four similar steamers which Messrs. Beardmore are building for the Pacific company. The vessels have been specially designed for the Pacific west coast passenger and mail service. Their principal dimensions are as follows: Length between perpendiculars, 360 ft.; breadth, 46 ft.; depth, molded, to main deck, 25 ft.; height to spar deck, 32 ft. 9 in. The dead weight capacity is about 3,400 tons on the summer freeboard. The propelling machinery consists of two sets of triple-expansion engines of 3,300 I. H. P. Notwithstanding the stormy weather the results on the run around to Liverpool, from the Clyde, were very satisfactory, the stipulated horsepower having been largely exceeded, and the expected speed easily attained. The other conditions of the contract were also entirely fulfilled and the representatives of the owners expressed themselves as well pleased with the ship and her performance.





THE OBELISK AS IT WILL LOOK WHEN ERECTED IN LOCKS PARK, SAULT STE. MARIE.


OBELISK AT SAULT STE. MARIE.

The semi-centennial commission appointed two years ago to celebrate the opening of the first canal at Sault Ste. Marie to commerce will some time during the present summer erect at Sault Ste. Marie an obelisk in commemoration of the event. The obelisk has been completed at one of the quarries at Branford, Conn. The shaft is of hammered Stony Creek red granite, is 45 ft. long, 5 ft. 5 in. square at the foot, tapering to a dimension of 1 ft, square and then finished to a point. It weighs about sixty tons. Its shipment has brought about a transportation problem that several railroad traffic men are figuring out. The only solution seems to be the use of a Pennsylvania railroad car which is used to transport heavy ordnance. The longest car available is 36 ft, and it will be necessary to mount a bed on swivels to carry the shaft and to allow for the sway of the shaft as the train rounds curves. When the question of routing the shaft was figured out, several traffic men had to give up the task, as they were not certain that all the bridges on their respective lines were capable of sustaining the enormous weight of the car and its load. About twelve years ago the battle shaft at West Point was cut at a quarry at Branford, and this had to be shipped in a roundabout way. It is 41 ft. long and

at that time was the longest shaft ever transported by rail in this country.

The monument is boxed and ready for shipment, and the foundations are now being prepared at Sault Ste Marie. The obelisk was designed by Charles I.

McKim, of the architectural firm of McKim, Mead & White. This firm also designed a battle monument at West Point and the monument of the prison ship martyr of the revolution erected in Brooklyn, N. Y. The contractors



THE OBELISK AT THE QUARRY.

are Norcross Bros., of Worcester, Mass., and Cleveland, O. The cost of the monument is \$19,000, which sum was contributed by the general government, the state of Michigan and the transportation and mining interests of the lakes. It will be erected at Locks Park, on the axis of Bingham avenue.

SHORTAGES IN CANADIAN GRAIN CARGOES.

Editor MARINE REVIEW-Sir: I do not wish to enter into a controversy, regarding the causes leading to the sho:tage, and overrun on cargoes, shipped from Fort William and Port Arthur. In writing to you on the 6th inst. I intended only to give any one interested the benefit of my experience gained during the time I was employed at one of the Fort William elevators, as well as what I had learned while assistant in an elevator at a Georgian Bay port. At the latter I have seen a case, in fact, two or three cases, where one steamer followed the other at the elevator, in loading at the Lake Superior Canadian port, coming in like order at the Georgian Bay port, the first to fall short several hundred bushels, and the other to run over nearly a like amount. I also know it to be a fact the grain has been found in the shipping bins, after the vessel for which it was weighed had left port.

In so far as the wearing out of spouts is concerned, that cannot be confined to the Canadian ports alone; that will happen in all elevators that handle grain, and the Canadian elevators have just as good millwrights as those in our ports to look after this work. As for the reweighing of part of a draft, that would have to occur often, in order to create a large shortage, and would not of necessity have to fall on the shoulders of the loading port, for during my experience in the Buffalo elevators I have seen where shortages of 500 bushels were found to occur, same being located here after the cargo had been reweighed, or in loading to canal boats or cars. This, of course, could not happen through the reweighing of a part of one or of several drafts, but through both the weighman and tally man failing to tally one or more drafts.

If the cause of those large shortages was or could be put on the wearing out of the spouts, and the overflow of bins, there would be no overrun on cargoes; it would all be a shortage.

JOSEPH A. BOLAND.

Buffalo, June 21.

AROUND THE GREAT LAKES.

The steamer Yale ran aground at Point Pelee near Southeast shoal on Lake Erie last week.

The steamer Smith Thompson, building for the L. C. Smith Transit Co., will be launched at Toledo on Saturday.

Capt. T. W. Walker, commanding the revenue cutter Tuscarora, will retire at the end of the present season, having reached the age of sixty-five years.

The steamer H. S. Pickands and the schooner Morengo have arrived at the yard of Abram Smith & Son, Algonac, Mich., for repairs to top sides.

The Reid Wrecking Co. has contracted to raise the dredge Sir Wilfred lost off Port Hope three years ago. It was not discovered unt'l last fall.

The old side wheeler Urania has been restored to her original name Flora and will operate between Toledo and Cedar Point in connection with the steamer Eastland.

Marine interests at Tonawanda have started a movement to have the war department establish a flash range light at the entrance to Niagara river and a signal light at the mouth of Tonawanda creek.

D. O. Smith, of Port Washington, who purchased the hull of the passenger steamer Atlanta, has notified the collector of customs at Milwau-

kee that he will raise the wreck of the steamer Atlanta which was burned off Port Washington a year ago.

Capt. Thomas Johnson, assistant to the president of the Great Lakes Towing Co., has purchased the gasoline launch Bayou from the Buffalo Yacht club. The Bayou is 65 ft. long and is one of the finest launches on the lakes.

The contract having been let by the Lake Erie Dredging Co., of Buffalo, for removing the shoal that lies at the mouth of Buffalo harbor just outside the lighthouse on the long breakwater, captains of vessels are requested to slow down on entering port and give as wide berth as possible to the dredges and drill boats that will be at work upon the contract. The action of the swell from wheels of passing steamboats is very apt to break the anchors or spuds on the dredges or drill boats.

The Lunkenheimer Co., Cincinnati, O., has just issued a little catalogue of its generator valves. The booklet is quite small, but it nevertheless enters thoroughly into a description of the various types of generator valves manufactured by the company. The booklet is illustrated with wash drawings and a complete price list is given. The booklet will be sent to anyone interested.

IMPROVING HARBOR AT BUFFALO, N. Y.

Abstract of proposals for excavation in south end of Buffalo Harbor, N. Y., received in response to advertisement of May 1 and opened June 1, 1907, at Buffalo, N. Y., by H. M. Adams, Colonel, Corps of Engineers.

Dredging and

| No. | Name and address— Name and address— Pregging and removing 100,000 yards of material. Total Per cubic yard, | Remarks. |
|-----------------------|--|-----------|
| 1 2 3 4 5 | Scownessure. Scow | Accepted. |

IMPROVING HARBOR AT BUFFALO, N. Y.

Abstract of proposals for removing shoals outside north end of breakwater at Buffalo, N. Y., received in response to advertisement dated May 3, and opened June 3, 1907, at Buffalo, N. Y., by H. M. Adams, Colonel, Corps of Engineers.

Removing 35.

| No. | Name and address- | 000 cubic yards material per cubic yard, scor | Total | Remarks. |
|-------------|---------------------------------------|---|--|-----------|
| 1 2 3 | Lake Eric Dredging Co., Buffalo, N. Y | 5.50 5.25 | \$ 60,900.00 192,500.00 183,750.00 | Accepted. |
| 4 | Buffalo Dredging Co., Buffalo, N. Y | 3.80 | 133,000.00 | |

REMOVING RIP-RAP AT ASHLAND, WIS.

Abstract of bids opened June 6, 1907, at Duluth, Minn., by Major Graham D. Fitch, Corps of Engineers, for furnishing and placing about 60,000 tons of rip-rap at Ashland, Wis. Amount available for this work, about \$80,000. Amount proposed to be expended, about \$60,000.

| No. of bid. Name and address of bidder. | Per ton of 2,000 lbs., including re- moval of cross ties and drift- wood. | | Remarks. |
|--|---|------------------|---|
| 1 Alex, Sang, Duluth, Minn | \$0.99 | \$59,400 | *Recommended for accept- ance on account superior quality of stone. |
| 2 A. Donald & Co., Ashland, Wis 3 Powell & Mitchell, Marquette, Mich. | 1.07 1.25 | 64,200 75,000 | • |
| 4 Northern Dredge Co., Duluth, Minn. | | 58,200 | Stone unsatisfactory. |



SCIENTIFIC LAKE NAVIGATION.

BY CLARENCE E. LONG.

The regular course protractor is graduated from zero to 90 degrees at the middle line, and when using it in the manner indicated, the course is in each case to be reckoned from north or south towards east or west, as the case may be. The regular course protractor is probably more serviceable than this. This consists of a circle of isinglass or celluloid, having its circular edge graduated into degrees and points, and a long thread leading from the center of the instrument. The course is obtained the same as has already been explained. In last issue is another transparent course protractor, and the directions for using it are as follows: Place the open center of the protractor over the position of the ship on the chart, then set the protractor true by the parallel lines around its edges, cutting or running parallel to some meridian on the chart. With the silk cord draw a north line, then keeping the card drawn to the north, with the other hand turn the protractor (keeping it central over position) to the right or left for Ely. or Wly. Var., if any. Now stretch the cord to any point, and the reading on the protractor where the cord passes over it will give the correct magnetic course.

PATENTED DEVICES.

There are a number of other devices and contrivances for taking off courses and bearings from the chart. One of these patented arrangements has adjusted to one of the rulers a dumbcompass, and attached to the compass and other ruler are two metal arms so that when the second ruler is set it is in parallel conjunction with the compass, that is, the compass moves or swings with this ruler. A hand or indicator moves over the face of the compass, and is attached to the first ruler. Thus, to get the course lay the first ruler over the points of departure and destination. The second ruler is placed to a near-by meridian or to a parallel of latitude, and this sets the dumbcompass in coincidence with the chart, that is, the dumb-compass points in precisely the same manner as do the diagram compasses on the chart. The first ruler controls the hand which indicates the course. These instruments all work on the principle of the parallel ruler, only that they have the advantage of giving the course at once without any climbing and sliding of rulers.

Others again work on the principle of the protractor bearing a radial arm. The simplest instrument is by all

means the best instrument, so long as it answers every purpose; and it may be said in passing, that the old-time parallel ruler is able to perform any and all the feats and wonders claimed for its more pretentious neighbors. And too, it has the advantage of being cheaper in price.

THE COURSE ON DIFFERENT CHARTS.

As is to be explained the course between any two places on a Mercator's chart is the angle which a straight line them makes with On a Mercator's chart, meridian. where the meridians and parallels are all straight lines and at right angles to each other, any one of these patent arrangements gives very satisfactory and accurate results. On a polyconic chart (charts of the Lake Survey Office) the parallel ruler gives a more accurate course than any other instrument used for that purpose. By the use of the parallel ruler the course can be taken from the compass rose lying midway, or near to it, between the points of departure and destination, when the route is a long one. For it must be apparent that on a where the meridians and parallels are slightly curved the compass diagrams laid down accordingly cannot be precisely the same everywhere on the

The dividers (compasses) is an instrument consisting of two legs pointed and jointed at the top by a pivoted joint, used by navigators for measuring distances on a chart, pricking off positions, etc. Dividers should be of good quality. The points must be fine, and formed of well tempered steel that cannot be bent or blunted. Above all, the joint should be good, for if not, it will be provokingly difficult to set the legs to any required distance, on account of the spring and want of uniformity in their motion. A pair of dividers with an indifferent joint, when being opened or closed, will move by fits and starts, and either go beyond the measurement required or stop short of it. The joint should also be stiff enough in its action to hold the legs in any required position without fear of alteration when handled with ordinary care. These are the things to be tested when making a purchase. Instrument cases always contain a key for tightening up the joints of the dividers when they work slack. What are known as hair dividers give very exact measurements, but for navigating purposes they are too good, and too costly. When a ship is rolling violently, and it becomes necessary to consult a chart every seaman is aware of the difficulty experienced in keeping the chart and ruler on the table with

one hand, whilst with the other he is trying to manipulate the dividers. Some clever fellow, who has evidently been pretty often in this fix, has invented a pair of dividers for use with one hand, which are worthy of coming into general use. They are opened by a pressure of the palm of the hand on the circular part, which causes the legs to overlap each other and the points to separate. They work just opposite to those of the ordinary dividers.

NON-REVERSE COURSES AGAIN.

Editor MARINE REVIEW :- Replying to "Ervas" on "Non-Reverse Courses" and navigation in general: Eryas says that to adopt an outside course would increase rather than lessen the chances of collision and also would increase the chances of stranding and loss by storm. This I suppose is on the supposition that boats could be overtaken by storm before having a chance to make a lee, and also from stranding on account of the outside course being so far from the land that the reckoning would be lost in again making the land. Now, the Lake Carriers' Auxiliary Committee on Aids to Navigation, who were first to propose the adoption of separate courses, stated specifically that "Weather conditions, of course, to be taken into consideration at all times by the master." Therefore, the argument used by Eryas in regard to stormy weather and the management of a ship at such a time, counts for naught. If all boats were to follow such a course regardless of weather conditions, then there would be some reason for such an argument.

Eryas further says "The letters pubished in the issue of May 16 are a credit to the writers and in the opinion of those practically conversant with the subject, established without a doubt the inconsistency of the rule." I agree with Eryas, the letters are very good. But Ervas refers to the letters in a manner to further his own argument, and would like to convey the idea that they are all of the same opinion, which opinion is coincident with his. There were fourteen masters who wrote the letters referred to. Now, if some of them are in favor of the plan and some not they cannot all be for it and they cannot all be right or all wrong. I quote from these letters more because Eryas says "They are men who are practically conversant with the subject;" in other words, I will use his own argument. I will enumerate these masters by numbers, from 1 to 14 in the order that their letters were published, and at the same time state briefly their opinions and their reasons for same: No. 1 bases his argument on the

toba:

itt.

AGAI3

storm theory, but concludes his letter by saying: "Were the waters of the lakes never affected by storms it would seem to me that the new plan would then be the correct thing." Master No. I then is in favor of the plan, because it has all along been understood that the weather conditions must be taken into account in making these courses. If the master used his own judgment in regard to weather in following these courses, it would amount to practically the same thing as the statement "that if the waters of the lakes were never affected by storm."

Master No. 2 objects to it on account of the courses crossing one another too much. He does not intimate, however, that the courses could not be made or that they would lead to stranding in case they were adopted.

Master No. 3 bases his argument on the weather conditions, and also on account of not sufficient sea room, which is very true.

Master No. 4 favors the plan. He puts up an argument that no man can get away from. He states nothing but facts and tells a long story in a few words. This man knows what he is talking about. There are many masters who know that what he says is so but you could not get them to admit it.

No. 5 objects to the plan on account of weather conditions. He makes this statement: "Lake pilots seem to be always 'coast pilots' and do a great part of their piloting by land marks and should correct their position by every land mark they see." This statement hardly agrees with what Eryas says in regard to lake men being navigators as good as can be produced in the world. A real navigator does not have to depend wholly on land marks to make his courses. I am glad that it was Master No. 5 that made the statement rather than the writer hereof. It must be true because it comes from a man who is "practically conversant with the subject."

No. 6 makes a very good argument. He says, "If these courses could be followed with a reasonable degree of safety at the turning points, I entertain no doubt it would be an improvement." He endorses the outside course on Lake Huron. He must then be of the opinion that there would not be the difficulty that Eryas claims in making this course. If a two-course system is practical on Lake Huron why not on Lake Superior? If this be a fact, and No. 6 does not intimate anything to the contrary, his opinion differs very much from the argument employed by Eryas.

No. 7 objects to it on account of the weather conditions, and that he would be unable to see the lights and hear

the fog signals, virtually admitting that mittee of captains proposed the idea without these aids he could not make of an outside course it was pointed the courses.

out by certain masters (and ones prac-

No. 8 uses good reasoning in his argument in saying that the courses cannot be separated far enough to eliminate the chances of collision on account of so many of the courses being so nearly parallel with one another.

No. 9 is in favor of the new plan if all boats would adhere to it. Judging from No. 9's letter he isn't a "land mark navigator" at any rate.

No. 10 favors the plan and uses a telling argument. He not only knows what he is talking about, but he fully understands the promoter's ideas in recommending the plan. He says: "After duly considering the same I am of the opinion that the theory advanced has much in its favor, as a general rule of navigation in foggy and ordinary weather, and in my estimation should be adopted and complied with so far as possible. It meets with my hearty approval."

No. 11 is not in favor of it on account of being out too far, not being able to get the lights and fog signals.

No. 12 objects on the grounds that the courses cross one another at the important turning points.

No. 13 disfavors it on the ground that the courses cross each other.

No. 14 favors the idea, and says that he has, on several occasions, in thick weather, steered an outside course in order to avoid meeting so many boats.

Surely the foregoing communications do not illustrate the "inconsistency of the plan." It is one thing to make a statement, but another thing to back it up."

Now, in relation to Eryas' remarks on leeway or side drifts: Is it not just as much a master's duty to be able to allow for leeway or side drift, send of the sea, head wind, following wind and sea, etc., as it is to be able to correct his course for variation and deviation? Is it not a fact that when all these corrections have been properly made that the ship is making good her course. Is it not a master's duty to know his own boat, how much drift she will make under certain conditions of wind and weather and how much to hold her up to counteract such an effect? I fully realize that these allowances cannot always be made to the degree of accuracy, but a man with good judgment, and especially if he has sailed all his life time, should come sufficiently near to it, that he would not be far enough off his course to invite the chances of stranding. The courses can be controlled by other means than those mentioned by Eryas.

At the time the Lake Carriers' com-

of an outside course it was pointed out by certain masters (and ones practically conversant with the subject) and boat managers that their courses d'd not cover the plan to be sought. The idea was correct, but the trouble was that their courses ran too much parallel with other courses. To overcome this defect in the original plan a two-course system was suggested for these two lakes. The suggestion was made by several prominent vessel managers and masters, who favored the idea, if such a plan were to be carried out for the purpose of the prevention of collision. It was then that I was asked to write as much in favor of the plan as was consistent with the conditions to be encountered. I did this. The idea was not wholly original with me. It came from men who are in the "harness." There is not much that is really original about the plan, because many of the larger vessels are, and have been, making use of an outside course on these lakes to avoid meeting so many boats. On Lake Huron a two-system course is made of it. In order to make but two courses of it you cannot bring your single turning point any closer to the land than what has already been recommended. If a twosystem course were to be adopted I favored the outside course for east bound boats on Lake Superior for east bound boats have not the means of verifying their courses in cloudy or foul weather, while west bound boats can use the Soo River ranges to the very best advantage. Therefore, it is easier for a boat to make courses in cloudy weather bound west than when bound east, from Duluth or Two Harbors. If azimuths were always available it would then make no difference. Now, with compass deviations continually changing and no actual way of determining them in cloudy weather, is it good judgment or poor judgment to suggest a course having plenty of sea room on both sides, or one that has the sea room only on the one side? In other words, in foggy weather, when you are not just sure of your course, is it good or poor judgment to follow an outside course in preference to an inside or shore course? Is it good judgment or poor judgment in saying that a boat has the means at her disposal for making better courses bound west on Lake Superior than bound east? If you can depend more on your courses going west than going east, is it wise or unwise to propose an inside course (the present shore course) to an outside course? Which is the more safe to



follow, a shore course in thick weather, or an outside course?

I would like to ask: What is to hinder the larger class of tonnage from adopting an outside course? Would it not help to lessen the chances of collision if a certain amount of tonnage was taken off the usual track of steamers? It seems to me that it should lessen the chances rather than to increase them, notwithstanding all the argument that has been brought against it. Conditions could not be any worse than they are so far as steering courses promiscuously, and if boats are able to meet and pass each other as well as they do, could they not do so to a better advantage if there were less boats to meet than now? I cannot see where any harm could come from it even if no good. So far as getting all classes of tonnage to follow these courses will never work for the many reasons already advanced, but this should in no way interfere with the tonnage that can make use of it. Before a plan of this kind will prove successful all boats will have to be put in the same class navigationally. This would require all boats to be provided with the instruments necessary for navigating a vessel successfully, and not only this, every boat's officers must understand the handling of these instruments. Were this a fact but little objection would be made to the plan of non-reverse courses. outside of the weather conditions.

There are many who are always ready to throw cold water on anything that is new. New things usually have to be given a trial before their practicability or impracticability can be determined. It was the same thing with the azimuth when it was first introduced on the lakes. There was all kinds of objection to it, and the ones that made the most noise about it were the ones that were least capable of judging.

The mere fact that we have not the sea room on the lakes as on the ocean, and that courses run parallel and cross one another, should not stand in the way for giving non-reverse courses a fair trial. We must do the best we can with what nature has provided. Many have the idea that the success of this plan depends solely on making the turning points right to the dot. This is not so and is very far from it. How do you make your turns now? Are you always where you figure you are going to be, or ought to be? No. Well, if you could do as well with the outside course and turning points as you now do with the inside course and turning points, would you not be as well off? The fact of the matter is, on the outside course you would have more sea room for any error of this kind.

Eryas says that "masters and mates study the principles of navigation and apply them as far as the conditions will admit." There is not more, if there is, 50 per cent of the boats on the lakes that are equipped with the instruments necessary for making courses. They are not even provided with the ordinary bearing indicator. A bearing taken without the aid of an instrument is about as much account as a good "guess." The question then is, how far will the "conditions admit." If vessels are not provided with the necessary instruments for carrying out the safety methods of navigation, the men on board certainly cannot practice these methods; therefore, they are not "perfectly familiar with the bearing indicator and cannot make use of it at every available point" as Eryas claims. If these things are necessary on one boat, why are they not on another? Boats that are not provided with these instruments have not the opportunity of making as good courses as those that are provided.

Eryas says that the lake seaman becomes a navigator under the most favorable environments for learning practical methods and self-reliance. What are these most favorable environments? Is every boat a navigation school? They become good pilots and not navigators; that is, if navigator is taken literally instead of figuratively. When they become practical navigators they have first studied the theory of navigation. The theory of navigation is learned from books, and one might as well expect to learn to read and write on the deck of a vessel as to obtain a correct theory of navigation on board. Pure navigation is not learned on the deck of a boat. The theory of a science must first be learned and understood before it can be practically applied. The doctor and the lawyer study the theory of their profession before they practice it.

With an azimuth for setting the course, and an efficient compass and log, the latter checked by both the speed of the ship and the number of turns of the propeller to the measured mile, with the proper allowance made for leeway, head wind or head sea, etc., it becomes as easy a matter to steer a course to a point 29 miles from Passage Island as it would to a point 12 miles off Eagle Harbor, or a less distance. The direction of Duluth piers affords a ready means of establishing the first course of the two outside courses proposed on Lake

Superior, and by the time Devil's Island is passed a bearing or two ought to establish whether the course then being steered is the right one. If there is a wind causing leeway or sideway drift, or a head wind and sea that is stopping the ship's speed, or a following wind and sea, that is increasing her speed, these allowances can be applied so that the ship is making a course that is practically the correct thing. As a usual thing there is not much wind and sea with a fog. It is practically the same distance from Devil's Island to Eagle Harbor on the inside course as it is from Devil's Island to the turning point 29 miles from Passage Island, but from this turning point to Caribou Island it is not so far as it is from Eagle Harbor to Whitefish Point. Caribou Island affords a ready means of verifying the course to Whitefish Point. Getting a departure from Caribou Island one should not have a great deal of trouble in making Whitefish Point at any specified distance from it. Caribou Island affords a better departure for the east end of Lake Superior than Devil's Island does for the west end. Eryas is probably afraid that he might hit Caribou Island on this outside course. If Caribou Island is to be passed at a distance of 10 miles, there is certainly room enough for small errors in the course. To make Whitefish Point at a distance of six miles off, the vessel's position should be verified at Caribou. This should always be done. The master must have such control of his course and distance that he can verify his position at Caribou under almost any conditions. Even if it is necessary to stop and sound it should be done. Precautionary measures must always be taken before a ship's time is run out, and the courses steered thereafter; that is, in the case of foggy weather and you are trying to pick up the whistle, should be on the safe side.

The statement of Eryas in regard to the change of compass error is rather vague. The standard compass, as a usual thing, is so far away from the hold of the ship that the iron ore cargo has but little effect on it. The cargo would have to be unusually strong magnetically. steering compass is more susceptible on account of it being so much closer. There is this much about it, the same effect that would change the deviation of the steering compass would not influence the standard compass, so that any such effect could be readily detected as soon as it took place. If the course is first carefully set by the standard compass and compared by

the steering compass, then any change that is more susceptible to the steering compass than the standard compass must be readily detected by the latter. The standard compass being iess liable to these changes should be the one to go by, and the course again must be re-set by the standard The standard compass compass. should always be used for setting the course, and the watch officer should pay as much attention to it as the wheelsman does to the steering compass. Not enough attention is paid to such matters. By carefully observing the standard compass one can tell whether the steering is being properly done, or if the wheelsman is letting her work all one way, etc. Much more might be said about this subject, but I have neither the time nor space in this issue.

QUESTIONS FOR WHEELSMEN AND WATCHMEN.

SIXTH INSTALLMENT.

- 61. What is meant by right of way?
- 62. Within the meaning of the rules, what is a steam vessel?
- 63. Does a gasoline vessel, when under such power, come within the meaning of a steam vessel as described by the rules?
 - 64. What is a sailing vessel?
 - 65. What is a tow barge?
- 66. What is the difference in the lights used in the night time on a sailing vessel and a tow barge?
- 67. What is the port side of a vessel?
- 68. Walking aft from forward, which is the port side and which is the starboard side of your vessel?
- 69. Which is the weather side of a vessel?
- 70. Is the weather side of a ship the port or the starboard side?
- 71. Why is it that steam vessels must give way to sailing vessels?
 - 72. What is meant by "underway"?

ANSWERS TO QUESTIONS FOR WHEELSMEN AND WATCH-MEN.

THIRD INSTALLMENT, PUBLISHED JUNE 6.

25. The government law regulating the meeting and passing in safety of both steam and sailing ships under every circumstance and condition, hence the prevention of collision at sea. Consult the introductory portion of the

"Pilot Rules of the Great Lakes," also "Rules of the Road for the Great Lakes, known as the White Law."

26. By writing to the department of commerce and labor, Washington, D. C., or applying in person to any of the local inspectors of steam vessels. Send-

ing direct to Washington is the better way.

- 27. Steamers meeting "head and head" or nearly so. Consult Rule I.
- 28. When two boats are approaching each other from reverse or nearly reverse directions; so that by a continuation of their courses would lead to collision. Consult Rule I for this information.
- 29. By being able to see both of the colored lights on each boat at the same time; that is, the pilot of one boat sees both colored lights of the other boat at the same time, and vice versa, the other pilot sees the same on the other boat. Rule I relates to this condition.
- 30. By the appearance and position of their hulls in the water; coming lengthwise instead of crosswise; the ranging of the masts; being only able to see the bows or forward portion of a boat. This question comes under Rule I.
- 31. The one and two blasts of the big whistle. One blast meaning to port helm and two blasts to starboard the helm. Consult Rules I, II, V, VI, 17, 18, and 23; also consult the boat diagrams for the rules of the road.
- 32. One blast meaning that I am directing my course to starboard (by putting my helm to port), and two blasts meaning that I am directing my course to port (by putting my helm to starboard). See rule 23.
- 33. To port the helm and swing the boat's bow to starboard. The helm must go to port regardless of how the steering wheel must be rolled in order to execute it. You must know your gear. Remember that with a cross gear the steering wheel and helm move the same way, but with a straight gear they move in opposite directions.
- 34. That I am directing my course, or he is directing his course, to starboard, by porting the helm. Consult Rule 23.
- 35. When the course of one boat crosses the course of another boat they are said to be "crossing vessels." Consult Rule II and diagrams of the Fourth and Fifth Situations, also Sixth and Seventh Situations.
- 36. On the starboard or right side looking forward. Green light and starboard helm are similar. To show your green light you must starboard (your helm), and similarly, to show your red light you must port (your helm).

QUESTIONS AND ANSWERS.

Ques.—What is leeway, and how would you find it? Ans.—Leeway is the sideways drift of a vessel caused by the wind and sea striking her side.

To determine the leeway note the line of the ship's keel by observing the course by compass, then see what angle the wake makes with this, and that will be the leeway. For example, a ship is steering NE with the wind about NW; now the heel of her keel is SW, and if the wake now bore SW 1/2 W by compass, consequently it makes an angle of one-half point with the line of the keel, and that is the amount of leeway being made. If a patent log is being towed from the taff rail, the angle made by the line with the keel will give the amount of leeway. If the vessel is not towing a log, then the hand-lead may be temporarily thrown overboard and allowed to trail astern, and the angle measured by it. When the vessel is making no leeway, that fact is established by the wake making no angle with the line of the keel; but if leeway is being made, the wake will trend on the weather quarter. Some vessels have a graduated half circle of brass screwed on the middle of the taff rail, and when it is desired to ascertain the amount of leeway, the bight of the log line is carried to this half circle and held in the center of same, then the trending of the line will give the amount of leeway according to the point on the circle that the line is over.

Ques.-It bothers me to tell which name the deviation takes when on a known range or going out of a pier. I call easterly westerly and westerly easterly in naming the deviation. It is simple. I know, but at the same time it is confusing. Ans.-The deviation is named according to the way the card is turned or the way the needle is drawn, both of which amount to the same thing, since it is the needle that carries the card and responsible for moving it. The deviation is easterly when the card has turned to the right or towards the right, and westerly when turned to the left. The deviation is always the difference between the correct magnetic bearing of the range and the compass bearing of the range; that is, whatever your compass says, with ship's head on the range the difference between it and what you know the correct magnetic bearing to be is the deviation for that correct magnetic point of the compass that the range is equal to. Now, to name the deviation. Since the deviation is the attraction of the compass needle to the right or to the left by the ship's magnetism it is convenient to imagine the compass to read the same as the correct magnetic bearing of the range and then to imagine the deviation to



draw the card aside to the compass

course shown when the ship is on the

range. The direction the card has to

turn in to go from the correct mag-

netic bearing to the compass bearing

establishes the name of the deviation

at once. An example will better ex-

plain it: Supposing the correct mag-

netic bearing of a range to be SE 1/2

E and with the ship's head on this

range the compass reads SE 1/4 S.

To name the deviation: Just imagine

now that the compass reads the same

thing as the correct magnetic bearing

of the range, that is, SE 1/2 E, and as

you are looking at it the deviation

in the boat draws the compass needle

to SE 1/4 S, or in other words, how

must the card turn to bring SE 1/4 S

card has turned to the left, hence the

deviation is Wly. Where your trouble

is and the same with all beginners, you

do the moving on the card forgetting

while doing so that it is the card that

does the moving and that it has already

moved. It has moved because the attrac-

tion causing the deviation has moved it.

There could be no deviation unless the

card has moved from its correct mag-

netic directions. If you will bear the

rules in mind you cannot make a mis-

take, because the rules always remain

the same, even though you can change them about in your own mind. The rule

for naming the deviation is: If the cor-

rect magnetic bearing is to the right of

the compass bearing, the deviation is

easterly, and when to the left, westerly. It can also be reasoned and proved thus:

From a correct magnetic course to a

compass course allow Ely. Dev. to the

left of the correct magnetic course, and

to the right for Wly. Dev. From a com-

pass course to a correct magnetic course

allow Elv. Dev. to the right of the com-

where SE ½ E ought to be.

pass course and Wly. to the left. Let us prove this by the above example: The Dev. is 3/4-pt. Wly. 3/4-pt. to the right of correct magnetic course SE1/2E gives compass course SE1/4S. Compass course SE14S with 34-pt. Wly. Dev. allowed to the left gives correct magnetic course SE½E. Ques.-What are the essentials of an efficient compass? Ans.-It is essential that the card should have the greatest possible magnetic power in its needles, combined with the smallest possible weight in the whole card. The jewel cap should be sound—that is, not worn or cracked, and the pivot sharp and free from rust. If the card is placed on the pivot and deflected through a small angle from its position of rest, it should always come back exactly to the same point. The card should be accurately divided and centered, and the point of the pivot should be in the same plane as the gimbals of the bowl. The lubber

mark should be accurately placed on the bowl, that is, its division should be made truly. When a compass is placed on board ship, the lubber line should be vertical and exactly in the fore-and-aft line from the center of the card, and the bowl should swing freely in its gimbals. The bowl must swing freely or the hibber mark will not be truly vertical when the ship rolls or is off an even beam. All compass bowls should be made of pure copper.

Ques.-Why do many of the standard works of navigation refer to the variation and deviation of the compass as compass errors, or as the total error of the compass. Are these errors of the compass? Ans.-Variation and deviation are not errors of the compass; they are corrections. - An error of the compass is some fault of the compass, such as weak needles, the needles not being attached parallel to north and south on the card, etc., while variation is due to a law of nature, and therefore is a natural consequence of the phenomena responsible for it. Variation is due to the fact that nature placed her magnetic poles, to which all compass needles direct themselves, at some distance from her true poles. If the magnetic poles were at the true poles, which is equal to saying, that if the compass pointed to the true poles of the earth, there would be no such thing as variation of the compass. The true poles are at the ends of the earth's axis on which it rotates. These points are the ends of the earth, and are the starting points for direction, since all the meridians of longitude come together and meet at these points, which theoretically, are mere dots. If the compass needle pointed to the true poles of the earth it would direct itself in the same manner as the meridians do. Unfortunately this is not the case, but we make it answer the same purpose by referring all directions to the true meridian and by applying the angle between the direction of the compass needle as it points to the magnetic pole at any place. While the direction on the compass card is not the same as that of the true direction the point coincident with it answers the purpose of same. This is called the variation of the compass, and is just what any navigator would expect of this instrument. If the compass did not show the same variation as recorded for the place of observation, or showed a different amount on different observations, then the variation would be in error due to an error of the compass. Variation of the compass is a correction of the compass, because it is a known quantity that must be supplied to the indications of that instrument in order to make it agree with the direction of the standard line of reference, the meridian. The meridian is fixed while the correction

(variation) varies for different localities. What has been said of variation is likewise true about deviation. While deviation of the compass is due to an entire different cause than that of variation, nevertheless its laws are similar.

Ques.—What are some of the causes which operate to change the deviation of the compass? Ans.-Loss or gain of magnetism in the compass needles (usually a loss); change in the magnetic force in the iron or steel near the compass; the cargo, when of iron or steel, or other magnetic substance. When an iron or steel steamer makes a number of trips without cargo the vibration caused by her engines and the revolutions of her screw will somewhat change the magnetism of the hull. Another change is due to "retentive" magnetism, from induction, such as when a vessel's head has been in one direction for a long time, or on a long course. Shocks and strains of all kinds, such as laboring in a heavy sea, especially in "bucking" into it and the vessel pounds, has an effect in either increasing or decreasing the magnetism of the hull. The shocks of loading iron ore through chutes from high pockets must also have an effect on the vessel's magnetism, especially when often repeated, as is the case with steamers in the ore trade. Heat and cold play an important part in changing the deviation. Another important change in the deviation is when a vessel is loaded or in light trim, the difference being due to the change in direction of the lines of magnetic force of the ship's magnetism in relation to the compass needle. When the ship is loaded she is near to an even keel, but when flying light her bow is high in the air. While the ship may have the same amount of magnetism in either case, the magnetic force changes its lines of direction on the compass needle, so that the compass cannot be under the same influences at both times. This is one of the greatest difficulties that the lake master has to contend with in the use of the compass. The difference in the readings of the same compass between when loaded or light, frequently amounts to a point, and many times more than a point. There are so many causes which operate to change the vessel's magnetism and deviation, that it is absolutely necessary to check all courses steered or to be steered by frequent azimuths, and also by river and harbor ranges. When these are lacking the master has to do some "tall" guess-

Ques.—What is the advantage in a deviation curve? Is not a table of deviation just as advantageous? Ans.-Its chief merit is that the deviation may be determined for a few points, and a symmetrical curve traced through them will give a graphical illustration of the deviation for each point and fractional point of the compass. For a table of deviation you must determine the deviation by observation on every point of the compass you desire.

Ques.-After a compass has been adjusted, is it not correct, and does it not remain correct? Ans.-With some of the masters and pilots on the lakes the impression prevails that after a compass has been adjusted it is, or should be, correct. This is true in only a very few cases and then but for a limited time; it requires only a short interval of time, vibrations, shocks or strains, to change the magnetic force in the hull so as to make the compass point incorrectly. Owing to the fact that the pieces of iron, or masses of iron, causing the deviation are not distributed symmetrically around the compass causes an unequal disturbing force which the correcting magnets cannot wipe out entirely. The correcting magnets counteract the symmetrical portion of this deviation and that is all. The unsymmetrical portion must be ascertained by observation and recorded. It is called residual deviation—that remaining or left over. It is as necessary to swing a vessel for a deviation table or curve after the compass has been adjusted as it would be if the compass was not adjusted. It is safe to assume that after a compass has been adjusted it will not remain correct for any length of time, and though the correction be small the navigator should know how much it is that he may allow for it in setting his courses.

THE NAUTICAL TERM TACK.

Definitions that will be helpful in understanding the question course now running in the Review for the benefit of wheelsmen and watchmen and others who are interested. Study this over carefully till you thoroughly understand it. It will help you to better understand the questions and answers that are to follow in this particular course.

The nautical term *tack* has many phases and many meanings on board ship.

To Tack Ship, means to come about, or to go about, or to come in stays. If the vessel had been on the port tack (wind on port side), and her helm and sails changed to bring the wind on the starboard side, she would be brought up in the wind's eye (starboard helm) and by it, until the wind filled the sails on the opposite side.

The Tack of Sail is the extreme lower forward corner of any sail.

The Tack Line, or Tack Pennant, of a fore-and-aft sail is the rope that keeps down the tack of the sail, that is, the lower forward corner; also the

rope that keeps down the lower outer corner of a studding sail.

The tack of a gaff-topsail is the V-shaped lower forward corner of the sail, to which is fastened the tack line or tack pennant, one of which leads to the deck on either side of the gaff, and is used for trimming and keeping down this portion of the sail. For instance. the vessel has been on the starboard tack, and is coming in stays to go off on the port tack. The tack line, which has been hauled taut and fastened on the starboard (windward) side, is now let go of, and hauled taut on the port side (now the windward side), that is, the lower corner of the sail is pulled up and over the gaff, near the jaw, and This gives the proper hauled taut. trim and shape to the sail.

The sailing vessel is on the starboard tack when the wind comes over the starboard side and the sails fill out to port; and on the port tack when the wind comes over the port side and the sails fill out to starboard.

The tacks are changed from one side to the other when the vessel is thrown up into the wind (coming in stays, or tacking ship). The tack of the sail or-tack line, is always pulled taut on the windward side, and the same side the tack is on is likewise the tack the ship is on. It was from this circumstance that the starboard and port tacks were so named. When the tack is pulled taut on the starboard side the vessel is said to be on the starboard tack; hence, the tack the vessel is on is governed by the tack line to windward. If the windward side is the starboard side then the ship is on the starboard, but when the windward side is the port side of the ship then the tack the ship is on is the port tack. If you will always remember this you will never have any difficulty in understanding the principle of it.

This starboard and port tack question is not only a puzzler to the layman and young sailor alike, but to many practical men as well. Knowing the meaning of starboard and port (right and left) it is only natural that one should think that a vessel is on the starboard tack when her sails fill and belly out to starboard; and vice versa, for the port tack, but as you have seen, these terms did not originate from such a condition. They are just the reverse of the way one would most naturally think they ought to be. The port and starboard tack proposition is a very important factor in the rules of the

A schooner closehauled (beating to windward) will lie all the way from 4½ to 6 points from the wind, the average being about 5½ points. Know-

ing how close a vessel will head from the wind the direction of the wind can readily be found by counting the number of points from her compass course—counting from her compass course toward the right on the starboard tack and toward the left on the port tack.

Example-Let us assume that a vessel lies 51/2 points from the wind, she is heading SE x S on the starboard tack; the wind is then about SSW 1/2 W (SW x S $\frac{1}{2}$ S) or $\frac{5}{2}$ points to the right of the compass course. If on the port tack heading SE x S the wind would be about E 1/2 N, or 51/2 points to the left of the compass course. Again, if you did not know how close your vessel lies to the wind and wished to find out, note the reading of the compass when on either tack closehauled, and again when she comes in stays (when she comes up in the wind's eye-comes about and changes tacks). This will work all right provided the compass is a steady one and the vessel's head is not swung too rapidly; otherwise the compass card will have a swinging motion and will not show the same reading it would where the ship's head was steadied for some little time. The better way is to note the compass course on each tack and half way between the two should give the direction of the wind. This. of course, is on the assumption that there is no deviation of the compass. In practice if you get within a point of it is sufficiently close.

A sailing vessel is said to be closehauled when she endeavors to progress in the nearest direction possible to the wind. The wind in this case will be somewhere forward of abeam, on either side.

A vessel is running free, or "before the wind" or "off the wind," when the wind is anywhere abaft the beam on either side.

Sailing closehauled is the same thing as "on a taut bowline," "on the wind" and "by the wind."

Beating. To make progress against the direction of the wind by tacking in a zig-zag line or traverse. A vessel is said to be beating to windward when running closehauled.

Beating to Windward. Tacking and getting to windward from place of starting; that is, making progress against the direction of the wind; sailing closehauled.

By the Wind. When a ship is as near to the wind as her head can lie with the sails filled.

To Tack. To turn a ship by the sails and the rudder against the wind.

You should now be able to answer at once such gestions as follow:

If a vessel holds up 5 points from



the wind closehauled, and the wind is NE, how will she head on the starboard tack? About how would she head when she comes in stays to go off closehauled on the port tack? Answer. N x W on the starboard tack, and E x S on the port tack.

If the wind is S x E and a vessel heads ESE, is the wind forward or abaft the beam? Answer. Forward of abeam, or forward of the beam.

What tack is this fellow on? Ans. Starboard tack.

If a vessel heads SSE with the wind NW, is the wind forward or abaft the beam. Ans. Abaft the beam.

A square-rigged vessel closehauled will lie about 6 points from the wind, and a sloop-rigged vessel closehauled will lie from 3 to 4 points from the wind, 3½ points being about the average; all depending upon the sails, whether new or old, trim of the vessel, whether light or loaded, etc.

(To be convinued.)

OBITUARY.

The British ship building trade has lost its most famous representative by the death of Sir Charles Mark Palmer, Bart, M. P., for the Jarrow division of Durham. Sir Charles had attained the great age of 85. It was on his initiative that the ship building trade has been almost revolutionized. At the Jarrow works, which he founded, the ore is smelted at one end, and appears on the finished vessel at the other. At this establishment the first steam collier was built. which revolutionized the coal trade of the time, and sealed the doom of the sailing brigs. The establishment of their ship building works in 1852 founded the town of Jarrow, and on the initiative of Mr. Palmer blast furnaces and rolling mills were added. The firm were among the first to work the Cleveland ironstone, and they ran a fleet of steamers for its removal. The harbor at Port Mulgrave cost the firm £50,000, and was provided solely for the shipment of ironstone. When the concern became a limited company in 1866 Sir Charles Palmer became its chairman. A remarkable number of big war vessels were turned out, in addition to vessels for the mercantile marine. Sir Charles, notwithstanding his business activity, found time to take keen interest in the social, municipal, and political life of Jarrow, and his death has created a Parliamentary vacancy, the deceased baronet having been its Liberal representative continuously since 1885.

ITEMS OF GENERAL INTEREST.

The lake steamer Ravenscraig, which has been purchased by the Eastern Coal Co., of Providence, R. I., will be extensively altered at New York, the alterations amounting in value to about \$40,000.

The White Star line has recently published its list of sailings to the Mediterraneań for January and February, 1908. The Cedric, Canopic, Republic and Romanic are scheduled to sail in this service.

The executive committee of the board of supervising inspection service has approved the Randle patent boat disengaging apparatus, presented by the New York Ship Building Co., at Camden, N. J., and the Semple & Ward disengaging apparatus presented by Capt. Allen Luckhurst, International Navigation Co., New York.

The Implacable, of the British navy, broke the world's coal record at Malta recently, taking on board 1,050 tons of coal in two hours and forty minutes, being an average of 394 tons per hour. No shore labor was engaged, and only baskets were used. The record was previously held by H. M. Cruiser Black Prince with 316 tons per hour.

At a special meeting of the directors of the Joseph Dixon Crucible Co., held May 31, to take action on the death of vice president and treasurer John A. Walker, Geo. T. Smith was elected vice president, Geo. E. Long treasurer, and Harry Dailey was elected director and secretary.

It is announced that Tengo Maru is the name selected for the first of the three steamers that are now building at the Mitsu Bishi ship yard at Nagasaki for the Toyo Kisen Kaisha. The Tengo Maru is 575 ft. long, 63 ft. beam and 39 ft. deep. She will be an oil burner and will be equipped with turbines

The Steamboat Inspection Service at the port of New York recently conducted an inquiry regarding the drowning of the engineer of the New York Central tug No. 4, in the collision with the steamer C. W. Morse. Capt. Ira Harris has issued a bulletin stating that both vessels were properly handled and the officers were blameless.

The Enterprise Transportation Co., operating what it claims to be the only independent steamboat line from New York to New England, has recently issued a circular setting out its accomplishments in its two years of existence. The company started with only one steamer and now operates five vessels in two distinct services,

with a combined tonnage of 6,050 tons, and passenger accommodations for 2,350 persons.

The upward march of trade in New York is nowhere better illustrated than on the North river front. A few years ago Fourteenth street marked the last of the piers at which the big trans-Atlantic liners tied up. Now the Chelsea improvements, near Twenty-third street, mark another step uptown. Times Square is becoming the most important center of the city, and this fact is not only shown by the moving north of many large business houses, but by the steamboat lines and the railroads, which in the search for new piers ask: "How near is the site to Times Square and what are the facilities for getting there?"

The recent cry of "dull times," raised by various manufacturing interests of the country, finds no echo in the business of Allis-Chalmers Co., which continues to show a steady gain. During the month of May this company shipped from its works 553 cars of machinery, which was a gain of twenty cars over the record established for April. In April the aggregate weight of shipments was 21,-680,847 lbs., while for the month of May the figures had risen to 23,772,-242 lbs., making a total weight for the two months of 45,463,089 lbs. Cars bearing this enormous quantity of machinery, if coupled in one train, would have covered a distance of about eight miles.

IN THE DISTRICT COURT OF THE UNITED STATES FOR THE EASTERN DISTRICT OF MICHIGAN, NORTHERN DIVISION: IN ADMIRALTY.

In the Matter of the
Petition of Frank S. Upton, owner of the
steamer John C. Gault, for Limitation of
Liability.

Liability.

The undersigned, Hezekiah M. Gillett, a trustee appointed by this court in the above proceedings under the provisions of the Revised Statutes of the United States respecting limitation of liability, was authorized and empowered by the order of this Court made and entered on June 14, 1907, to cause the said Steamer John C. Gault, her engines, boiler, machinery, boats, tackle, apparel and furniture, to be sold as said property now lies, at public auction.

Now, therefore, by virtue of said order, no-

public auction.

Now, therefore, by virtue of said order, notice is hereby given, that I shall cause to be sold at public auction, to the highest bidder for cash, at the front door of the Post Office Building, so called, on Washington Street in Bay City, Michigan, that being the building in which are held the sessions of the District and Circuit Courts of the United States for the Northern Division of the Eastern District of Michigan, on Saturday, the 6th day of July, 1907, at 2 o'clock in the afternoon of that day, the said Steamer John C. Gault, her engines, boiler, machinery, boats, tackle, apparel and furniture as said property now lies.

Dated, Bay City, Michigan, June 17th, 1907.
HEZEKIAH M. GILLETT, Trustee,

Bay City, Mich. Shaw, Warren, Cady & Oakes, Detroit, Mich. Proctors for petitioner.

Gray & Gray, Detroit, Mich.

Proctors for libelants in principal case.

f 6,050 tons. lations for

illustrated up. Now r step up oming the e city, and in by the e business

what are 1 times, uring inno echo ners Co. a steady May this

ear is the

ide in New int. A few et marked ich the big lear Twen-

boat lines the search

6 33 use#pd-google

https://hdl.handle.net/2027/mdp.39015043584419 http://www.hathitrust.org/access

Generated on 2024-08-28 13:26 GMT Public Domain, Google-digitized ,

VOL. XXXV.

CLEVELAND, JUNE 27, 1907.

No. 26




ESTABLISHED 1854

53 years in business.



3,000 Propeller Wheels made to date.



Marine Machinery

> Marine Repairs




MANUFACTURING CO. MILWAUKEE, WIS.





WHEE





Morison Suspension Boiler Furnaces


For Land and Marine Boilers

Uniform Thickness-Easily Cleaned UNEXCELLED FOR STRENGTH

Also Fox Corrugated Furnaces

THE CONTINENTAL IRON WORKS, West and Caylor Sts., NEW YORK Near 10th and 23d Sts. Perries Borough of Brooklyn.


Valves for Severe Service



The Williams Regrinding Valve for high pressures and temperatures excels all others. It has greater lift of disc to reduce friction, larger wearing surfaces and is stronger in construction. Do you want Valve Then give the "Williams" a trial. economy? Catalog?

The D. T. Williams Valve Co. Cincinnati, Ohio.

RUSCOI The Dependable Marine Motor



Made to withstand the most severe and continuous service. A practical design characterized by the accessibility, compactness and simple ignition gas producing and oiling features. Per-

Four cycle type, two and four cylinders, from 8 to 65 H.P. Smaller sizes of the two cycle type.

Catalogue and copy of The Launch for the asking. Department 46.

Truscott Boat Mfg. Co. ST. JOSEPH, MICHIGAN.

Send for Illustrated Catalogs Machinery

AMERICAN SHIP WINDLASS CO.


Providence, R. I.

Established 1857.

SHIP MACHINERY of the most improved type. Our AUTOMATIC STEAM TOWING MACHINE (Shaw @ Spiegle Patents) is absolutely the best machine ever invented for towing vessels at sea.

"PROVIDENCE" WINDLASSES, Capstans, Hoisting Machinery of all kinds, anchors and complete fittings for tugboats, barges and schooners.

We have a large iron foundry and can execute ALL KINDS OF REPAIRS promptly and at reasonable prices. We also build the Taylor Gravity Under-Feed Stokers.



Dake Pilot House Steam Steerer


FOR TUGS AND STEAMERS

Using either single or double wheel as required. Simple, durable, efficient and practically noiseless. Can easily be changed to hand gear if necessary.

We also make Capstans, Windlasses, Boiler Testing Pumps, Derrick Crabs, Swinging Gears, Deck Hoists, Engines direct connected to Centrifugal Pumps and Electric Dynamos, Chain Hoists, all kinds of Brass and Gray Iron Castings.

DAKE ENGINE COMPANY

Grand Haven, Mich.



Smith's Coal Dock

DETROIT RIVER DETROIT, MICH.

12 Pockets. Platform.

Low Dock

Operated by

STANLEY B. SMITH & CO.

Sliding Case Ball Bearings



Walker's Latest Pattern "Cherub", the

"CHERUB" MARK II SHIP-LOG

(With Ball-Bearings)

There is no necessity to take this log to pieces to oil or examine it, you simply slide back the case and the wheel-work is exposed.

THOS. WALKER & SON, Ltd.

Makers to the British and Japanese Navies.

58 Oxford Street, BIRMINGHAM, ENG.

Why Trifle

with other boiler compounds when you can buy

Dearborn?

It's cheapest in the end, because it does the work expected of it.

AGENTS AT LAKE PORTS.


DEARBORN DRUG&CHEMICAL WORKS

299 Broadway NEW YORK

WM. H. EDGAR, Founder

Postal Telegraph Bidg. CHICAGO






The American Ship Building Company

MAIN OFFICE CLEVELAND, OHIO

Marine and Stationary Engines STEEL SHIPS Boilers and Auxiliary Machinery

Sole Agents for the Lakes for the Ellis & Eaves Induced Draft System, as applied to boilers, giving increased power and great economy.

WORKS AT CLEVELAND AND LORAIN



M. E. Farr, Pres. and Trees. Philip McMillan, Vice Pres.

Detroit Ship Building Company




ENGINE BUILDERS

Sole Owners for the Lakes and Atlantic Coast of the HOWDEN HOT DRAFT SYSTEM as applied to Boilers, giving increased power and great economy.

Steel Ship Yard lecated at Wyandotte, Michigan Weeden Ship Yards and Dry Docks, Foot of Orleans Street, and Foot of Clark Ave., Detroit, Mich.

WM. L. BROWN, Pres. J. C. WALLAGE, Vice-Pres. R. C. WETMORE, Sec'y and Treas C. W. FREY, Ass't. Treas. ALFRED G. SMITH. Gen'l Supt.


Chicago Ship Building Company



STEEL SHIPS

or Freight Passenger ANY SIZE

Yards, Dry Docks and Repair Shops at South Chicago, Ill.



Superior Ship Building Company

Large stock of material always on hand for Repairing Wooden and Metal Ships.

SHIP AND ENGINE BUILDERS Dry Docks and Repairs of all kinds

WEST SUPERIOR

WISCONSIN

Repairing promptly attended to, Night or Day.

https://hdl.handle.net/2027/mdp.39015043584419 http://www.hathitrust.org/access use#pd-google Generated on 2024-08-28 13:27 GMT Public Domain, Google-digitized ,

THE TOLEDO SHIPBUILDING COMPANY

BUILDERS

AND


REPAIRERS

SHIPS AND ENGINES

FRANK E. KIRBY, CONSULTING ENGINEER.

ALEXANDER MCVITTIE, PRESIDENT. CHAS. B. CALDER, GENERAL MANAGER. TOLEDO, OHIO

H. S. WILKINSON, SECRETARY L. C. SMITH, TREASURER.



Milwaukee Dry Dock Company

MILWAUKEE

WISCONSIN

SHIP REPAIRS OF ALL KINDS

We have two ship yards offering every facility for the repair of both steel and wooden vessels. South Yard Dock is 450 ft. long on keel blocks; 460 ft. over all; 60 ft. width of gate and 16 ft. over sill. West Yard Dock is 312 ft. on keel blocks; 45 ft. width of gate and 12 ft. over sill. Rudder pit in each dock. Electric light for night work.

> MAIN OFFICE AT SOUTH YARD Foot of Washington Street

> > Telephone Main 3



Announcement

Our plant having been thoroughly reorganized both as to management and equipment, we are enabled to do all kinds of ship repairs at reasonable cost to the owners, whose patronage is solicited with the guarantee of satisfaction in all particulars.

We call attention to our facilities for the construction of new vessels of all kinds, particularly dredging outfits, tugs, scows, fuel lighters, etc , plans for which we will furnish on application together with specifications and estimates of cost.

The Buffalo Dry Dock Company


BUFFALO, NEW YORK

EDWARD SMITH, President

EDWARD N. SMITH, Superintendent

WILLIAM KNIGHT, Ass't. Sec'y and Treas.

Office Telephone, 515 Seneca. President's Office Telephone, 2329 Seneca President's Residence Telephone, 209 Bryant. Ass t Secy's Telephone, 324 North. Superintendent's Telephone, Bryant 209.



Collingwood Shipbuilding Co.

COLLINGWOOD, ONTARIO.

STEEL & WOOD SHIPS


Marine and Stationary Engines Boilers and Auxiliary Machines

Dry Dock 514 ft. Keel Blocks

ALEX. MCDOUGALL PRESIDENT

JR SHIPYARD

ITS ACCOMPANYING DRY DOCKS WORKS, WAS CAREFULLY DESIGNED, DUIPPED AND COMPLETED FOR THE



CONSTRUCTION AND REPAIRING IN EVERY DETAIL OF


BATTLE SHIPS · ARMORED CRUISERS · PROTECTED CRUISERS GUN BOATS TORPEDO BOATS · TORPED OCEAN LINERS PASSENGER STEAM ERS. FREIGHT CARRIERS. ETC. ETC.

NEWPORT NEWS SHIPBUILDING & DRY DOCK CO. I BROADWAY NEW YORK - NEWPORT NEWS, VA.

New York Shipbuilding Company

Main Office and Works, Camden, N. J.

New York Office, 12 Broadway



Mongolia, built by The New York Shipbuilding Co. for Pacific Mail S. S. Co.

Builders of

SHIPS, ENGINES, BOILERS AND HEAVY MACHINERY


Best Facilities for Repair Work

Pneumatic and Electric Tools; ample wharfage accommodation.

One Hundred Ton Crane Repairs done under Shelter







Pintsch Gas Lighted Buoys

BURN CONTINUOUSLY

FROM 80 TO 365 DAYS AND NIGHTS WITHOUT ATTENTION AND CAN BE SEEN AT A DISTANCE OF SIX MILES.

Brilliant & Steady Illumination. Economical & Reliable in Operation,

Adopted by the English, German, French, Russian and United States Light House Departments for Channel and Harbor Lighting; over 1900 gas buoys and gas beacons in service.

Controlled by the

SAFETY CAR HEATING & LIGHTING COMPANY

United States Express Building, Trinity Place and Rector Street, NEW YORK CITY

SAVING TIME AND LIVES

(FROM THE BRITISH ADMIRALTY REPORT)

The Submarine Bell increases the range at which the fog signal can be heard by a vessel until it approximates to the range of a light-vessel's light in clear weather, and, moreover, its bearings can be determined with quite sufficient accuracy for safe navigation in fog from distance far beyond the range of aerial fog-signals, if the vessel is equipped with receivers.

To double or treble the distance at which fog-signals can be heard is a great advantage to shipping, and the facility of determining the direction of a sound signal is in itself a very valuable discovery. Those who wait longest will incur the greatest loss in the meantime, both in ships and lives, and through delays to shipping which would otherwise be avoided.

For rates and information address

SUBMARINE SIGNAL COMPANY
88 BROAD STREET BOSTON, MASS.

NEW YORK, 68 Broad St. LIVERPOOL, 10 Duke St. LONDON, 29 and 30 Charing Cross BREMEN, Norddeutsche Maschinen-und Armaturen-Fabrik



Wrecking Steamer FAVORITE

Located at St. Ignace this Year.

The New Wrecking Steamer FAVORITE, Alex. Cunning, Master, will be stationed during season 1907 at ST. IGNACE, MICH. A Long-Distance Telephone will be installed on board the steamer. When at her home dock, the steamer can be reached by telephone any time day or night, 'Phone Number 63, and in absence of steamer full information as to the steamer may be obtained by telephoning to residence of Capt. Cunning, St. Ignace.

The Favorite is the most complete wrecking steamer in the world and is capable of going anywhere in all weathers.

OTIS STEEL

Ship Plates Flange Plates Tank Plates Steel Car Axles Forgings of All Kinds
"Otis" Fire Box Plates a Specialty.


STEEL CASTINGS FROM 100 TO 100,000 LBS.


OTIS STEEL CO., Ltd., Head Office and Works, CLEVELAND, O.

New York: Thorpe, Platt & Co. 97 Cedar St. Montreal: Homer Taylor, 183 St. James St. AGENCIES

San Francisco: John Woodlock, 154-156 First St. Detroit: George W. House, Union Trust Building.







The Marine Iron Company BAY CITY, MICH., U. S. A.

BUILDERS OF MACHINERY

FOR ALL PURPOSES.

Dredging Machinery, Centrifugal Pumps Hoisting Engines, Marine Engines.

Boom and Crane Castings, Propeller Wheels, etc. We shall be pleased to quote prices upon application.

F. A. Dischinger, President

Geo. E. Hardy, Secy.-Treas

THE HARDY & DISCHINGER CO.

OILS AND SUPPLIES **PAINTS**

"Zenith" Anti-Rust Coating FOR STEEL BOATS

Marine Delivery

TOLEDO, OHIO

Armstrong Pipe Cutting and Threading Machines are Portable-

Sizes up to 4" can be carried to the work. For hand or power interchangeably—even the 6" size

may be turned by an apprentice unassisted.

Catalogues free.

THE ARMSTRONG MANUFACTURING COMPANY.

Bridgeport, Conn. Chicago Branch: No. 23 So. Canal Street.



Shoes That EET and ANCY

retail for

\$3.50-4.00-5.00-600 and are for sale at the

EMERSON

SHOE STORES

in Cleveland, Toledo, Buffalo, and Detroit also in

E. Johnson. Wm. E. Smith. J. E. Scoville.

Iones & Nye.

Lorain, O. Francis Bros. Amherst, O. Jacob Baus. Sandusky, O. W. O. Stubig. Brooklyn, O. E. H. Wecke. Elmore, O. A. Weis & Son.


Factory

Elyria, O.

Ashtabula, O.



Reckland Mass.





Ritchie Liquid Compass

The Standard Liquid Compass used exclusive-ly by the U. S. Navy for over 35 years. Over 32,000 used in Merchant Service.

Made in all sizes and styles, from 2 to 12 inches diameter of card. All compasses made by us have our name printed below the North point or prominently upon the card. None other are genuine. Latest form with four or six needles, the best instrument for iron ships. For sale by ship chandlers and nautical instrument dealers. Catalogue free.

E. S. RITCHIE 2 SONS, Brookline, Mass., U. S. A. MANUFACTURERS OF NAUTICAL AND PHYSICAL APPARATUS.





Sheave for Same.

The sheaves of these hoisters are fitted with Star Metaline Bushings and Side Bearings, which keep the sheaves from heating, make them run true and together with the rounded edges of the shells, soon save more than their cost, by preserving the rope.

BOSTON & LOCKPORT BLOCK CO.

BOSTON MASS



MARINE MFG. & SUPPLY CO.

157 and 158 South St., New York.

SHIP FITTINGS AND SUPPLIES

CAPSTANS, WINDLASSES, STEERING APPARATUS, ENGINE **ROOM TELEGRAPHS, BRASS** AIR PORTS, DEAD LIGHTS, PUMPS, ETC.

Catalogue A-Air Ports, Ventilators, etc. Catalogue B-Windlasses, Pumps, etc. Catalogue C-Steering Apparatus. Others in course of preparation,

The Warner & Swasey Prism Binocular



represents the highest standard of optical and mechanical construction and is the most convenient and practical field glass on the market.

Send for descriptive literature and a copy of our booklet " Reflections of a Rambler."

THE WARNER & SWASEY CO., Cleveland, Ohio

Long's Nautical Magazine

COMPLETE IN **BOOK FORM**

The volume covers Scientific Lake Navigation in all its phases. It is self-explanatory and therefore its own teacher. It is better than any nautical school course of the same instructions for the reason that the book is always with the pupil. It is a ready reference and any point that you are not sure of or have become rusty in may be looked up in a moment's notice. All definitions are expressed in simple language, rendering it easily understood by

the uninformed as well as the informed. It was written for the men with a limited education. The work is thoroughly practical and relates to conditions just as they exist on the Lakes. It is unlike any other work because it covers a distinct field. All other works relate to navigation as practiced on the ocean. It was written by a lake man with practical lake experience.

The course of instructions contained in the volume have been endorsed by the best masters and mates on the lakes, and also by naval officers of high standing. There is no other book that covers this field so thoroughly and comprehensively as does this volume. The MARINE REVIEW has the exclusive handling of this publication.

Price \$5.00, carriage prepaid. Send your order to

The Penton Publishing Co.


Publishers The Marine Review Cleveland, Ohio

2024-08-28

0

Domain,

Generated Public Dom



The Word "PENBERTHY"
is as familiar to the engineer as the Goddess of Liberty is to the American Public. Actual tests back up every claim we make for the "Penberthy"—IT ALWAYS WORKS.

The Penberthy line includes:—The old and tried "Penberthy" Automatic and Auto-Positive Injectors. Ejectors. Oil and Grease Cups, Water Gages, Gage Cocks and other steam specialties. Catalog No. 22 shows them all.

The Penberthy publication "Engineer & Fireman" is a \$2 page journal-bright and sparkling from cover to cover—full of subjects interesting to the engineer and fireman of today. Send for free sample copy.

PENBERTHY INJECTOR COMPANY, DETROIT, MICH., U. S. A. (Largest Manufacturers of Injectors in the World)

(Largest Manufacturers of Injectors in the World)
Branches: New York, N.Y. London, Eng. Canadian Factory: Windsor, Ont., Can.

Strong, Simple and Automatic

The scientific carefully-workedout design of the U.S. Automatic injector provides maximum strength at every point. The U. S. Automatic holds the world's

record for longest life, greatest durability, greatest reliability and 100 per cent efficiency. Every part of the

Automatic Injector

accessible and easily cleaned. All parts accurate and interchangeable. Starts at lower steam----works to higher than any other. If you want the surest, safest, easiest-to-operate injector, buy the U. S. Automatic. Ask for the Certificate of Range and Capacity and see that the name "U. S." is stamped on the injector.

Engineer's Red Book Free

a reliable manual of information-practical and trustworthy-valuable to every steam user. Free on

AMERICAN INJECTOR CO.,

Detroit, Mich.

Makers of "Moon" Automatic Grease Cups, "Never Fail" Crank Pin Oilers and full line of Water Heaters, Ejectors, Fire Plugs, etc.

Adopted by the U.S.Gov USED

BY OVER 300 000 ENGINEERS

THE ROBERTS

SAFETY WATER-TUBE BOILER CO.

High Grade

Marine Water Tube **Boilers**

Generators of the Highest Quality of Steam

OVER 1500 IN USE

Send for circulars and stock sheet

MAIN OFFICE

39 Cortlandt St.

New York City

Phone 599 Cortlandt

Works: Red Bank, N. J. Phone, 49 Red Bank

Cable Address "Bruniva"

LUNKENHEIMER OIL CUPS



UNIVERSALLY ACKNOWLEDGED THE BEST

THE LARGEST AND MOST COM-PLETE LINE OF HIGH GRADE OIL CUPS THOR-OUGHLY ILLUSTRAT. ED AND DESCRIBED LUNKENHEIMER

OIL CUP BOOKLETS WRITE FOR A COPY

Your local dealer should have them, if not write us.

THE LUNKENHEIMER COMPANY

Largest Manufacturers of High Grade Engineering Specialties in the World GENERAL OFFICES AND WORKS

CINCINNATI, OHIO, U. S.

BRANCHES 345

LONDON, S. E. 15 Great Dover St.


Vice-President

DETROIT, MICHIGAN

ANTONIO C. PESSANO, President and Gen. Mgr. H. W. HOYT, GEORGE H. RUSSEL Vice-President

JOHN R. RUSSEL Secretary and Treasurer


Designers and Builders of Steel Freight and Passenger Ships.



STEEL FLOATING DRY

Our Steel Floating Dry Dock is equipped with powerful Pumping Machinery and Appurtenances and has capacity for docking boats 600 feet long. The advantages of our dock permit of repairs being made Expeditiously and Economically.

RIVER ROUGE DISTRICT-DETROIT RIVER



Katzenstein's Self-Acting Metal Packing

For PISTON RODS, VALVE STEMS, etc. of every description for Steam Engines, Pumps, etc., etc. Adopted and in use by the principal Iron Works and Steamship Companies in this and foreign countries.

Companies in this and foreign countries.

FLEXIBLE TUBULAR METALLIC
PACKING, for slip-joints on Steam Pipes,
and for Hydraulic Pressure.

For full particulars and reference, address

L. KATZENSTEIN & CO.

General Machinists.

358 West Street,

New York.



Good
Jobbing
Accounts
Desired for
Republic
Mechanical
Rubber
Goods

The Republic Belting and Supply Co. CLEVELAND, 0HIO

Manufacturers LEATHER BELTING

The Spar Varnish that Lasts



MARINE SPAR

Resists the destructive action of salt or fresh water, moisture, etc., BETTER than any other make of Spar Varnish in the market.

It works freely, dries hard and is exceedingly durable.

WRITE for our (free) spindle finished with Oceana and test for yourself, the wonderful water-resisting properties of this specialty.

Standard Varnish Works

THE LARGEST VARNISH WORKS IN THE WORLD

29 Broadway, NEW YORK LONDON

2620 Armour Ave., CHICAGO

LONDON BERLIN BRUSSELS
Canadian Branch: International Varnish Co., Ltd., Toronto

Geo. L. McCurdy

169 Jackson Boulevard

CHICAGO

ILLINOIS

INSURANCE HULLS and CARGOES

DIRECT REPRESENTATIVE OF LEADING AMERICAN AND FOREIGN UNDERWRITERS

Fitting Out VESSELS

THAT'S OUR TRADE

WE supply everything that a vessel needs—and our guarantee goes with everything we sell.

Let us submit a bid for fitting out your ship this spring.

THE UPSON-WALTON CO.


CLEVELAND, O.


INDEX OF ADVERTISERS

The star (*) indicates that the advertisement appears alternate weeks. For addresses see advertisements on page noted.

The dagger (†) indicates that advertisement appears once a month.

| †Akers Steering Gear Co. — Almy Water Tube Boiler Co. 37 American Injector Co. 13 American Injector Co. 13 American Line 47 American Ship Building Co. 4 American Ship Windlass 2 Armstrong Cork Co. 52 *Armstrong Manufacturing Co. 11 †Ashton Valve Co. — Atlantic Works 47 †Atlantic Works, Inc. — Babcock & Penton 49 Baker, Howard H., & Co. 52 Belcher, Fred P. 48 Billett, T. R. 48 Boland, J. J. 48 *Boston & Lockport Block Co. 12 †Bowers, L. M., & Co. 52 Braender, Philip 43 Breymann, G. H., & Bros. 39 Briggs, Marvin 38 Brown & Co. — Co. — Buffalo Dredging Co. 39 Buffalo Dredging Co. 5 *Buffalo Dredging Co. 5 | Dixon, Joseph, Crucible Co 43 Donnelly Salvage & Wrecking Co | Lockwood Mfg. Co | Root, W. O |
|---|--|--|---|
| Chase Machine Co | Helm, D. T., & Co. 48 Holmes, Samuel 48 Hoyt, Dustin & Kelley 48 Hunt, Robert W., & Co. 49 Hutchinson & Co. 48 | Northwestern Mfg. Co. Steam Boiler & 37 O'Connor, J. J. 48 †Oster Mfg. Co. — | *Toledo Fuel Co |
| Cleveland City Forge & Iron Co | †Ideal Pump Governor Co — International Mercantile Marine | Parker Bros. Co | |
| Continental Iron Works | Jenkins Brothers | Pittsburg Coal Co | Walker, Thomas, & Son. 3 Ward Line 47 Warner, Dorr E. 48 Warner & Swasey. 12 *Watson-Stillman Co. 51 *Wheeler Condenser & Engi- |
| Dake Engine Co | Kidd, Joseph | Richardson, W. C | Willcox, Peck & Hughes. 38 |






Our Ad Designing Department makes just this thing possible. All you have to do is to give us a suggestion and we put it into attractive shape.



MARINE BOILERS.



MARINE REPAIRS

Newburgh Steam Boiler Works

P. DELANY & CO.

NEWBURGH, N. Y.

Northwestern Steam Boiler & Mfg. Co.

DULUTH, MINN.


Manufacturers of

BOILERS, ENGINES AND MACHINERY

Special facilities for Marine Work. Repairs promptly attended to Night or Day.

> We carry a complete line of Marine and Engineers' Supplies.

TELEPHONES: OFFICE AND WORKS, 615.
RESIDENCE CALLS: M. A. RYAN, Pres. and Gen'l Mgr., 776-R.
J. H. OPPERMAN, Secretary, 579-R; E. KRIZ, Superintendent, 557-M.



350 STEAM VESSELS

Now Equipped With

ALMY'S PATENT

SECTIONAL


Water Tube Boilers

Bear Evidence of Their

Excellent Qualities

ALMY WATER-TUBE BOILER CO

PROVIDENCE, R. I.




Taylor Water Tube Boiler Co.

Vertical Tubes, sectional, large steam space and liberating area.

Fire box, combustion chamber, and course for the furnace gases similar to the Scotch Mariner Free circulation type.

Send for full description.

322 Franklin St. DETROIT, MICH.



MARINE BOILERS

OF ALL TYPES

KINGSFORD FOUNDRY& MACHINE WORKS,

Oswege, N. Y.




Sawdolet (made of wood fiber, and mineral substances) can be applied to steel decks cheaply.

It is fire proof, water proof, dust proof, and vermin proof. Can be colored any tint and is practically indestructible and monolithic. Samples submitted and estimates furnished.

American Sawdolet Co.

CLEVELAND





Johnston Brothers Ferrysburg, Michigan

Write

Digitized by Google

CLASSIFIED ADVERTISING SERVICE

PROPOSALS.

U. S. Engineer Office, Buffalo, N. une 1, 1907. Sealed proposals June 1, 1907. Sealed proposals for excavation at Ogdensburg Harbor, N. Y., will be received here until 11 A. M., July 2, 1907, and then publicity opened. Information on application. H. M. Adams, Col. Engrs.

U. S. Engineer Office, Buffalo, N. Y., June 1, 1907. Sealed proposals for excavation in Black Rock Harbor and Channel at Buffalo, N. Y., will be received here until 11 A. M., July 1, 1907, and then publicly opened. Information on application, H. M. Adams. Col. Engrs.

U. S. Engineer Office, Jones Building, Detroit, Mich., June 3, 1907. Sealed proposals for dredging at Section 4, Plan B, Detroit River, will be received at this office until 3 P. M., July 3, 1907, and then publicly opened. Information furnished on application. Chas. E. L. B. Davis, Col., Engrs.

U. S. Engineer Office, Detroit, Mich., June 3, 1907. Sealed proposals for hire of dredging plant for use in Alpena Harbor, Mich., will be received at this office until 3 P. M., July 3rd, 1907, and then publicly opened. Information furnished on application. Chas. E. L. B. Davis, Col., Engrs.

DREDGING EQUIPMENT FOR SALE.

FOR SALE, THREE DIPPER Dredges, 6 Dump Scows, and 3 Tugs. Particulars on application. Great Lakes Dredge & Dock Co., Chicago,

ONE COMBINATION DREDGE in Fine Condition for sale, fully equipped with all appliances for operating both clam and dipper, hull rebuilt and machinery put in first-class condition two years ago. Can be seen at River Rouge, Mich. Also a floating derrick, care of Buffalo Dredge Co., Buffalo, N. Y. Address W. S. Carbin Barrick, N. Y. W. S. Carkin, Bennington, N. H.

COAL HANDLING MACHINE

ONE BROWN RAPID COAL
Handling Machine for sale. Now in
use at Toledo Docks. This Machine
is in very fair shape and is to be
replaced by one of larger capacity.
Will be glad to furnish any information to interested parties.

C. B. Duffy, P. A.
Hocking Valley Ry.
Columbus, O.

VESSEL BROKER.

I HAVE VESSELS OF MOST cvery kind—from 10 tons to 6,000 tons— to sell for their owners, at reasonable prices. Anybody wishing to buy or sell a boat should call on or write Fred A. Bradley,

11 Brisbane bldg.,

Buffalo, N. Y.

Bell 'Phone Seneca 1232

Bell 'Phone. Seneca 1232.

TUGS FOR SALE.

TUG FOR SALE, 14 x 16 ENgine, 44 ft. 4 in. length, beam, 11 ft. 2 in.; depth, 6 ft. 5 in.; hull and boiler as good as new. Price, \$2,500.00. Write F. Alberts & Sons, Muskegon, Mich.

STEAMERS FOR SALE.

LIGHTHOUSE STEAMER THE THE LIGHTHOUSE STEAMER Haze, 145 ft. long, 27-ft. beam, 9-ft. draught, 500 tons capacity, 300 horse-power engine and boiler, suitable for passenger or freight business, fully equipped. Steam capstan. donkey boiler. Jacob Ullman, 46 Lloyd street, Buffalo, N. Y.

STEAMER BALCOM FOR SALE sidewhéel, 80 x 30 x 6; tonnage, 48.41 net; solid oak hull; 2 steel boilers 42 x 10; 2 engines 12 x 24, operate separately or coupled; 120 lbs. steam; draught 3½ ft. Also Barges: One car ferry barge 126 x 26 x 8; light draught, 18 inches. One 74 x 24; one 76 x 24; light draught each small scow 14 inches. All in first class condition for service All in first class condition for service. Address American Lumber Co., Manhattan Bldg., Chicago, Ill.

THE WRECK OF THE PASsenger steamer "Naomi" for sale as she now lies at the harbor of Grand Haven, Mich., where she can be seen and particulars of her condition ascertained tained.

Sealed bids, accompanied by certified checks, for 10 per cent of the amount of the bid, to be delivered by noon, June 26th, at the office of Lloyd's Agent, R. Parry-Jones, 321 Perry-Payne Bldg. Cleveland, Ohio, where bids will be considered to the control of th where bids will be opened in the pres ence of intending purchasers. The right to reject any or all bids is reserved.

FOR SALE, MISCELLANEOUS.

NEAFIE & LEVY F & A COMpound 26"-50" x 30" with Surface Condenser and Pumps. Will alter to 22"-50" x 30" for high steam.

131/2 K. W. Electric Lighting Set. Williamson Steering Engine.

Two Hawser Pullers (Capstans). Two Providence Steam Wind-

lasses. Wheeler Surface Condenser.

Blake Vertical Duplex Air · Pump and Jet Condenser. 71/2" steam, 16"

air, 12" stroke. Worthington Duplex Air Pump & Jet Condenser 9" x 12" x 10".

D. C. Sturtevant Blower & Engine. Two Scotch Boilers 12' x 12'. Two Scotch Boilers 11' x 12'.

Two Scotch boilers 131/2' x 12'. MARVIN BRIGGS, INC., 154 Nassau Street, New York.

BOOKS

TRUE BEARINGS OF CELESTIAL OBJECTS FOR THE GREAT LAKES. By Frank Henrich, 315 Providence Bldg., Duluth. Price \$3.50 postpaid.

GAS ENGINE PRINCIPLES

in handy and condensed form are given in "Elements of Gas Engine Design"

By Sanford Moss, M. S., Ph. D.

Price 50 cents.

A book that covers the facts of power generation from various fuels, actions in the cylinder, power and efficiency. Formulae, constants and a number of tables are also contained.

BOOK DEPARTMENT The Penton Publishing Co.

WILLCOX, PECK & HUGHES SUCCESSORS

CHAS. E. & W. F. PECK

NEW YORK, No. 3 South William Street, Average Adjusters. Insurance Brokers. CLEVELAND CHICAGO BUFFALO NEW ORLEANS MINNEAPOLIS SEATTLE

G. T. BOWRING & CO., (Insurance) Ltd., 5 and 6 Billiter Ave., LONDON, and at "LLOYD'S" LONDON. HULLS AND CARGOES.

We place insurances in the most advantageous markets, having unequaled facilities for procuring, in the interests of our clients, the best obtainable rates and terms from the strongest Foreign and Home companies,

We Represent the Assured

Time and Distance Tables for Lake Ships

A set of tables showing the time required at different rates of speed, 8 to 15 miles an hour, to cover distances between all ports on the Great Lakes. A time saver to the vessel owner or vessel agent as well as captain or engineer. Send for it on approval,

Price \$1.00

MARINE REVIEW,

Cleveland, Ohio



https://hdl.handle.net/2027/mdp.39015043584419 http://www.hathitrust.org/access GMT Generated on 2024-08-28 13:27 GN Public Domain, Google-digitized

M. SULLIVAN

DREDGING OF ALL KINDS

THE REMOVING OF DEEP WATER EARTH AND ROCK A SPECIALTY.

721 West Ferry St.

BUFFALO,

N. Y.

C. H. STARKE DREDGE & DOCK CO.,

Contractors for Public Works.

DREDGING, PILE DRIVING, AND-

SUBMARINE PIPE LAYING.

Canal Street, West of First Avenue,

Milwaukee.

Wisconsin.

G. H. Breymann & Bro's

CONTRACTORS FOR PUBLIC WORKS

Dredging, Dock Building, Etc.

5, 6 AND 7 MARINE BUILDING TOLEDO, OHIO.

The Toledo Fuel Co. Toledo, Ohlo Steamboats supplied with West Va. and Ohio coals from docks or lighter. A. M. DONOVAN.

Dunbar and Sullivan DREDGING

Company

BUFFALO, N. Y.

REMOVE SUBMARINE ROCK OR EARTH

Buffalo Dredging Co.

GENERAL CONTRACTORS

SUBMARINE WORK

Office D. S. Morgan Bidg.

BUFFALO, N. Y.

PITTSBURG COAL COMPANY

Steamboat Fueling Facilities at Various Points on the Great Lakes

CLEVELAND NARBOR 4 Car Dumpers.

FAIRPORT HARBOR (| Car Dumper.

DETROIT RIVER BRANCH Sandwich and Amberstburg.

PITTSBURG AND YOUGHIOGHENY

BUYERS' DIRECTORY OF THE MARINE TRADE.

For a more complete classification than that represented by advertisers in The Marine Review, see the BLUE BOOK OF AMERICAN SHIPPING, Marine and Naval Directory of the United States, published by The Marine Review, Cleveland.

[See accompanying Index of Advertisers for full addresses of concerns in this Directory.]

| - | companying |
|--|--|
| AIR COMPRESSION, Great Lakes Engineering | HOISTS. Works |
| AIR PORTS, DEAD LIG Marine Mfg. & Supply (| HTS, ETC. |
| ATD DITMES AND APP | LIANCES. |
| Fore River Ship & Engin Qu Great Lakes Engineering | |
| ANCHORS. Bowers, L. M. & Co Bingham | nton, N. Y. |
| Cramp, Wm. & SonsP | hiladelphia. INGS. |
| Toledo White Lead Co., ARTIFICIAL DRAFT BOILERS. | Toledo, O. |
| A | $C \wedge$ |
| Detroit Ship Building Co. Great Lakes Engineering | Works Detroit. |
| Great Lakes Engineering | Works Detroit. |
| ATTORNEYS AND P | ROCTORS |
| Gilchrist, Albert J Goulder, Holding & Mass Hoyt, Dustin & Kelley | . Cleveland. en Cleveland. |
| Hoyt, Dustin & Kelley Jenkins, Russell & Eichel | . Cleveland. lberger . Cleveland. |
| Hoyt, Dustin & Kelley Jenkins, Russell & Eichel Kremer, C. E MacDonald, Ray G Marshall, AlexanderDul Maytham, Frank Shaw, Warren, Cady & O | akes |
| Spencer, H. RDul Warner, Dorr E BAROMETERS, MA GLASSES, ETC | uth, Minn. Cleveland. ARINE |
| Brookl | ine, Mass. |
| BLOCKS, SHEAVES Boston Lockport Block | Co |
| BLOWERS. American Blower Co., Det | roit Mich |
| BOAT BIIII.DER | 2 |
| Drein, Thos. & Son | gton, Del. |
| St. Jose | eph, Mich. |
| BOILER COMPOUL Dearborn Drug & Chemica | l Works Chicago. |
| BOILER MANUFACT Almy Water Tube Boiler (Provide | Co |
| American Ship Building C | ^ |
| Atlantic Works. East Bos Briggs, Marvin | ton, Mass. Iew York. Chicago. niladelphia. rgh, N. Y. |
| • | |

| idex of Advertisers for full addresses of con |
|---|
| Detroit Ship Building CoDetroit. |
| Detroit Ship Building CoDetroit. Fletcher, W. A. & Co Hoboken, N. J. Fore River Shipbuilding Co |
| Great Lakes Engineering Works |
| Kingsford Foundry & Machine Works Oswego, N. Y. |
| Works |
| Milwaukee Dry Dock Co |
| Members Mems Suit Dunding Co.: |
| New York Shipbuilding Co |
| New York Shipbuilding Co |
| Roberts Safety Water Tube Boiler |
| Co |
| Taylor Water Tube Boiler Co |
| Toledo Ship Building CoToledo. BOILER STAYEOLTS. IRON OR |
| BOILER STAYEOLTS, IRON OR STEEL, HOLLOW OR SOLID. |
| Falls Hollow Staybolt Co |
| BRASS GOODS. Penberthy Injector Co Detroit, Mich. |
| BRASS AND BRONZE CASTINGS. Cramp, Wm. & SonsPhiladelphia. |
| Fore Diver Ship & Ungine Co |
| Great Lakes Engineering Works Detroit. Lunkenheimer Co Cincinnati. BRIDGES, BUILDERS OF. |
| BRIDGES, BUILDERS OF. |
| Chicago. |
| BUCKETS, ORE AND COAL. Brown Hoisting & Conveying Machine Co |
| G. H. Williams CoCleveland. |
| CABIN AND CABINET FINISHING WOODS. Martin-Barriss CoCleveland. |
| CABLE CREASE. U. S. Graphite Co., Saginaw, Mich. |
| CANVAS SPECIALTIES. Baker & Co., H. HBuffalo. |
| Bunker, E. A |
| CAPSTANS. American Ship Windlass Co |
| Dake Engine Co |
| Grand Haven, Mich. Hyde Windlass CoBath, Me. Marine Iron WksChicago, Ill. |
| Marine Iron Wks Chicago, Ill. Marine Mfg. & Supply Co |
| ING LEAKS. |
| Smooth-On Mfg. Co |

| erns in this Directory.] |
|--|
| CHAIN SURVEYORS, HOISTS. Brown-Hoisting Machinery Co |
| General Electric Co |
| CHAINS. Seneca Chain Co |
| CHAIN HOISTS. Boston & Lockport Block Co Boston, Mass. Republic Belting & Supply Co Cleveland. |
| CHARTS. Penton Publishing CoCleveland |
| AND CHRONOMETERS. Ritchie, E. S. & Sons Brookline, Mass |
| COAL PRODUCERS AND SHIPPERS. Hanna, M. A. & Co Cleveland. |
| Lorain Coal & Dock Co |
| COAL AND ORE HANDLING MACHINERY. |
| Brown-Hoisting Machinery Co |
| Lunkenheimer Co., Circinnati. COMPASSES. Ritchie, E. S. & Son |
| COMPOUND—PIPE JOINT. |
| U. S. Graphite Co., Saginaw, Mich. CONDENSERS. |
| Great Lakes Engineering Works Detroit. |
| Wheeler Condenser & Engineering |
| Wheeler Condenser & Engineering Co |
| CONTRACTORS FOR PUBLIC WORKS. Breymann Bros., G. HToledo. Buffalo Dredging CoBuffalo. Dunbar & Sullivan Dredging Co |
| CONTRACTORS FOR PUBLIC WORKS. Breymann Bros., G. HToledo. Buffalo Dredging CoBuffalo. Dunbar & Sullivan Dredging Co Buffalo. Creek Lakes Dredge & Dock Co. |
| CONTRACTORS FOR PUBLIC WORKS. Breymann Bros., G. HToledo. Buffalo Dredging CoBuffalo. Dunbar & Sullivan Dredging Co Chicago. Starke Dredge & Dock CoChicago. Starke Dredge & Dock CoMilwaukee. Sullivan, MDetroit. CONVEYORS, ELECTRIC. |
| CONTRACTORS FOR PUBLIC WORKS. Breymann Bros., G. HToledo. Buffalo Dredging CoBuffalo. Dunbar & Sullivan Dredging Co Great Lakes Dredge & Dock Co Chicago. Starke Dredge & Dock Co., C. H Milwaukee. Sullivan, MDetroit. CONVEYORS, ELECTRIC. Spence Mfg. CoSt. Paul, Minn. |
| CONTRACTORS FOR PUBLIC WORKS. Breymann Bros., G. HToledo. Buffalo Dredging Co |
| CONTRACTORS FOR PUBLIC WORKS. Breymann Bros., G. HToledo. Buffalo Dredging CoBuffalo. Dunbar & Sullivan Dredging Co Chicago. Starke Dredge & Dock Co Starke Dredge & Dock Co Milwaukee. Sullivan, MMilwaukee. CONVEYORS, ELECTRIC. Spence Mfg. CoSt. Paul, Minn. CORDAGE. Bakes & Co. H. H. Buffale. |

2024-08-

Generated on 20 Public Domain,

Steamboat Fuel at Ashtabula

Large Supplies of Best Quality.



Fuel Scow with elevators and discharging spouts. Storage of 800 tons. Discharges 250 tons an hour into steamers while unloading cargo.

M. A. Hanna & Co., Miners and Shippers. Main Office, Perry-Payne Bidg., Cleveland

ANY SIZE, OUTSIDE OR INSIDE DIAMETER. AVERAGE LENGTH OF HOLLOW BARS EIGHT TO TEN FEET. BOTH HOLLOW AND SOLID, MADE OF BEST QUALITY DOUBLE REFINED CHARCOAL RON OR STEEL. CUYAHOGA FALLS. O. U.S.A.

Safety and Coal Economy

are realized by our Hollow Stay Bolts. Steam from the center of a broken Hollow bolt always gives positive warning, hence

SAFETY
Air passing into the firebox through the hollow bolt helps combustion, hence

Tell-tale holes clog up. Hollow stays "never."
Passage of air always keeps the holes open.

Send for free literature.

Hollow Staybolt Company

Cuyahoga Falls, Ohio

Great Lakes Dredge & Dock Company

RIVER AND HARBOR IMPROVEMENTS

Lighthouses, Tunnele, Pneumatie and Submarine Work.

CHICAGO

DULUTH

CLEVELAND

TOLEDO

SAULT STE. MARIE

JUST PUBLISHED

A COMPLETE CLASS-BOOK OF

Naval Architecture

PRACTICAL—LAYING OFF—THEORETICAL

By W. J. LOVETT

LECTURER ON NAVAL ARCHITECTURE AT THE BELFAST MUNICIPAL TECH-NICAL INSTITUTE

8vo. with numerous illustrations and almost 200 fully worked-out answers to recent Board of Education examination auestions, with 26 pages of ruled paper at end for Notes and References.

-CONTENTS-

CHAPTER I. Rudders—Horse-power—Pro-pellers. Mathematics. X II. Areas and Centres of Gravity. III. XI. Displacement and Centres of Buoyancy. Laying Off. IV. XII. Weights and Stowages. Lloyd's and British Corpora-XIII. Lloyd's Rules and B. C. Rules. Statical Stability. XIV. The Ship in Detail. Gravity-Trim-Launching. VII. XV.
Board of Education Examination Particulars. Strength. VIII. age—Freeboard—Corro-sion and Fouling. INDEX. FOR NOTES.

Order From THE MARINE REVIEW, Cleveland

PICKANDS, MATHER & CO.

FUEL LIGHTERS at Buffalo, Erie, Ashtabula and Cleveland.

A' Detour, Mich., a Fuel Dock equipped with shute capacity of 600 tons. Best quality Pittsburgh coal furnished at any time during Day or Night.

Western Reserve Building,

CLEVELAND, O.

GEO. STRATFORD OAKUM CO.

JERSEY CITY, NEW JERSEY.

Established 1860

Oakum

Spua Cotton

FOR SALE AT SHIP CHANDLERS EVERYWHERE.



Buyers' Directory of the Marine Trade.—Continued.

| Buyon Biros | , | |
|---|--|---|
| DAVITS. Lundin, A. P | ENGINE BUILDERS—Continued. Great Lakes Engineering Works Detroit, Mich. Hall Bros. Philadelphia. Lockwood Mfg. Co East Boston, Mass. Marine Iron WksChicago, Ill. Maryland Steel Co Sparrows Point, Md. Milwaukee Dry Dock Co., Milwaukee. Mosher, Chao. DNew York. Newport News Ship Building Co | FLUE WELDING. Fix's S. Sons |
| Dunbar & Sullivan Dredging Co Buffalo. Great Lakes Dredge & Dock Co Chicago. Northern Dredge Co., Duluth, Minn. | New York Ship Building Co | Continental Iron Works, New York. GAS BUOYS. |
| Starke Dredge & Dock Co., C. H | Co Duluth, Mich. Quintard Iron Works Co., New York. | Safety Car Heating & Lighting Co |
| DREDGING MACHINERY. | Roach's Ship YardChester, Pa. Sheriffs Mfg. CoMilwaukee. Superior Ship Building Co | Chase Machine CoCleveland. GAUGES, STEAM AND VACUUM. Lunkenheimer Co Cincinnati. |
| Quintard Iron Works Co. New York. Superior Iron Works Superior, Wis. | Toledo Ship Building CoToledo. Trout, H. GBuffalo. | GAUGES, STEAM. Williams Gauge CoPittsburg. |
| DRY DOCKS. American Ship Building Co Cleveland. | ENGINE ROOM TELEGRAPH CALL BELLS, ETC. | Williams, D. T., Valve Co |
| Atlantic Works East Boston, Mass. Buffalo Dry Dock Co Buffalo. | Cory, Chas. & SonNew York. Marine Mfg. Supply Co., New York. ENGINEERING SPECIALTIES | Lunkenheimer CoCincinnati, O. Republic Belting & Supply Co Cleveland. |
| Cramp, Wm. & Sons. Philadelphia. Detroit Ship Building Co | AND SUPPLIES. Hardy & Dischinger CoToledo | GENERATING SETS. General Electric Co |
| Great Lakes Engineering Works Detroit. | Penberthy Injector Co | GRAPHITE. Dixon Crucible Co., Joseph Jersey City, N. J. |
| Lockwood Mfg. Co | Lunkenheimer Co Cincinnati. Northwestern Steam Boiler & Mfg. Co Duluth, Minn. | Toledo White Lead Co., Toledo, O. GRAPHITE PAINT. LL S. Carabita Co. Sociones Mich. |
| Newport News Ship Building Co Newport News, Va. | ENGINEERS, MARINE, MECHANICAL, CONSULTING. | U. S. Graphite Co., Saginaw, Mich. GREASE CUPS. Williams, D. T., Valve Co |
| Superior Ship Building Co Superior, Wis. Tietjen & Lang Dry Dock Co | Babcock & PentonCleveland. Furstenau, M. CPhiladelphia. Hynd, AlexanderCleveland. | Cincinnati. HAMMERS, STEAM. Chase Machine CoCleveland. |
| Toledo Ship Building CoToledo. DYNAMOS. | Hunt, Robt. W. & CoChicago. Kidd, JosephDuluth, Minn. Mosher, Chas. DNew York. | HEATING AND VENTILATING APPARATUS. |
| General Electric Co | Nacey, James | American Blower Co., Detroit, Mich. HOISTS FOR CARGO, ETC. American Ship Building Co |
| EJECTORS. Penberthy Injector Co | Wood, W. JChicago. | Brown Hoisting Machinery Co |
| Detroit, Mich. | FANS. American Blower Co., Detroit, Mich. | Chase Machine Co Cleveland. |
| ELECTRIC HOISTS AND CRANES. | FEED WATER PURIFIERS AND HEATERS. | Dake Engine Co |
| General Electric Co | Ross Valve Mfg. CoTroy, N. Y. Wheeler Condenser & Engineering | General Electric Co New York. Hyde Windlass Co Bath, Me. Marine Iron Co Bay City. |
| Republic Belting & Supply Co Cleveland | Co New York. FITTINGS: | HOLLOW STAYBOLT IRON OR STEEL BARS. |
| ELECTRIC LIGHT AND POWER PLANTS. | Republic Belting & Supply Co Cleveland. | Falls Hollow Staybolt Co |
| General Electric Co | FITTINGS (BRASS). Williams, D. T., Valve Co | HYDRAULIC DREDGES. Great Lakes Engineering Works Detroit. |
| ENGINE BUILDERS, MARINE. American Blower Co., Detroit, Mich. American Ship Building Co | FIXTURES FOR LAMPS, OIL OR ELECTRIC. | HYDRAULIC TOOLS. Watson-Stillman Co., The New York |
| Atlantic Works, East Boston, Mass. Briggs, Marvin | General Electric Co | Great Lakes Engineering Works Detroit Roelker, H. B |
| Chicago Ship Building Co., Chicago. Chase Machine CoCleveland. Cramp, Wm. & Sons, Philadelphia. Detroit Ship Building Co., Detroit. Pletcher, W. & A. Co., Hoboken, N. J. | PELLER OR THRUST SHAFTS, ETC. Cleveland City Forge & Iron Co Cleveland. | INJECTORS. American Injector CoDetroit. Jenkins BrosNew York. Lunkenheimer CoCincinnati. |
| Fore River Shipbuilding Co | Fore River Shipbuilding Co Quincy, Mass. | Penberthy Injector Co Detroit, Mich. |



Telan.

AND

RS.

York

Co.

TITTM



A Book For Marine Engineers

This tenth and latest edition of "Graphite as a Lubricant" contains reliable information on the modern practice of graphite lubrication---

things that will help you in your daily work. 12 pages on marine lubrication, 83 pages in all.

Write for FREE copy 77-C.

JOSEPH DIXON CRUCIBLE COMPANY.

Jersey City, N. J.



Always on Watch

The BRAENDER AUTOMATIC BILGE SYPHON

when once set in place, will, without any care or attention, do its work with intelligence and promptiness, as it does not waste steam when not in operation, and begins to work upon the least accumulation of water in the hold. It is simple in construction, automatic in its nature, not liable to get out of order, made of the best steam metal, and is guaranteed to keep the hold of a vessel properly dry, and do all that is claimed for it.

This automatic device has received commendation from all leading engineers throughout the country. Its simplicity of construction, durability, and entire freedom from possible disarrangement, together with its pronounced success in removing large quantities of water at a nominal cost of operation, has won for it the approval of ship-owners and seamen everywhere. With all these advantages, its moderate cost places it within the reach of every one. By giving the BRAENDER BILGE SYPHON a trial you will be convinced that it does everything we claim for it.

PHILIP BRAENDER
West 125th Street, New York

143 West 125th Street,

Sheriffs' Steam Steerer



FOR TUG BOAT USE

Easy to adjust, and can be handled by any one.

MANUFACTURED BY

Sheriffs Mfg. Co. MILWAUKEE, WIS.

Established 1854

The Martin-Barriss Co.

654 Seneca Street CLEVELAND, OHIO


IMPORTERS AND MANUFACTURERS OF

MAHOGANY WHITE MAHOGANY

and all Native Cabinet Woods

High Grades of Kiln Dried Woods for Cabin Work and Inside Trim WHITE OAK TIMBERS AND PLANK Constantly on Hand and Sawed to Order on Short Notice

THIRTY YEARS' EXPERIENCE BUILDING



Engines

and

Propeller Wheels.

H. G. TROUT. King Iron Works. 226 Ohio St.,

BUFFALO, N. Y.



THOS. DREIN & SON

BUILDERS of Metallic Life Boats and Rafts, Government and Pleasure Boats, Block and Granu-la ed Cork Life Pre-servers. Outfits for Lake Steamers a specialty. Tat-nall St. below Railroad. WILMINGTON, DEL.

John Donnelly, Sr., Pres. H. B. Folger, Treas.

John Donnelly, Jr., Vice-Pres. Thos. Donnelly, Secy.

THE DONNELLY SALVAGE & WRECKING CO., LTD. KINGSTON, ONT.

DIVERS, STEAM PUMPS, TUGS, ETC. SUPPLIED ON SHORTEST NOTICE.

CATALOGS WANTED.

We are requested to inform the INDUSTRIALS of all branches that our French contemporary,
"LE MOIS SCIENTIFIQUE ET INDUSTRIEL" of 8 rue Nouvelle

at PARIS, 9°, has established an Information Branch from which particulars on any

question may be obtained.

It is of great interest for all manufacturers to send regularly their "Catalogues" to "Le Mois Scientifique et Industriel" from where they will be forwarded to every one interested in the line.

Do not delay to send them and note the address is

LE MOIS SCIENTIFIQUE ET INDUSTRIEL 8 rue Nouvelle at Paris--9°

Ask for a specimen notice free on application.

Aids **Navigation**

SCHERZER ROLLING LIFT BRIDGES

aid navigation and meet with the approval of all vessel interests, because of the wide and unobstructed channel provided for navigation, enabling vessels to pass easily and rapidly through the draw. Accidents and damages from collisions with center piers absolutely avoided.

The Scherzer Rolling Lift Bridge Co.

Main Offices: 1616 Monadnock Block, CHICAGO, U. S. A. Cable Address: Scherzer, Chicage.

Buyers' Directory of the Marine Trade---Continued.

| Buyers Brice |
|---|
| INSURANCE, MARINE. Belcher, Fred PWinnipeg. Brown & CoBuffalo, N. Y. Elphicke, C. W. & CoChicago. Gilchrist & Co., C. PCleveland. |
| Belcher, Fred P |
| Elphicke, C. W. & CoChicago. |
| Hawgood & Co., W. A., Cleveland. |
| Helm & Co., D. TDuluth. |
| McCarthy, T. RMontreal. |
| Hawgood & Co., W. A., Cleveland. Helm & Co., D. T |
| Mitchell & CoCleveland. O'Connor, J. JPort Arthur, Ont. |
| Parker Pros Co Itd Detroit |
| Prindiville & CoChicago. Richardson W CCleveland. |
| Sullivan, D. & CoChicago. |
| Prindiville & Co |
| New York and Chicago. |
| IRON ORE AND PIG IRON. Hanna, M. A. & CoCleveland. Pickands, Mather & Co., Cleveland. |
| Pickands, Mather & Co., Cleveland. |
| LAUNCHES—STEAM, NAPHTHA, ELECTRIC. |
| Truscott Boat Mfg. CoSt. Joseph, Mich. |
| LIFE PRESERVERS, LIFE |
| BOATS, BUOYS. Armstrong Cork CoPittsburg. |
| Carley Life Float CoNew York. Drein, Thos. & Son |
| |
| Kahnweiler's David, Sons, New York. McArthur Fire Escape Co |
| McArthur Fire Escape Co |
| LOGS. Nicholson Ship Log Co., Cleveland. |
| Nicholson Ship Log Co., Cleveland. Walker & Sons, Thomas Birmingham, Eng. |
| LUBRICATING GRAPHITE. |
| LUBRICATING GRAPHITE. Dixon Crucible Co., Joseph Jersey City, N. J. |
| T TIRRICATORS |
| Penberthy Injector Co |
| Lunkenheimer Co Cincinnati. Penberthy Injector Co |
| Williams, D. T., Valve Co. Cincinnati. |
| LUMBER. |
| Martin-Barriss Co Cleveland. MACHINISTS. |
| Chase Machine CoCleveland. Lockwood Mfg. Co |
| East Boston, Mass. |
| McKinnon Iron Works, Ashtabula, O. Superior Iron Works. Superior, Wis. |
| MACHINE TOOLS (WOOD |
| WORKING). Atlantic Works, IncPhiladelphia |
| MARINE MODELS. The H. E. Boucher Co |
| New York City. |
| MARINE MACHINERY—STEAM. Marine Iron WksChicago, Ill. |
| MARINE PAINTS. Baker, Howard H. & CoBuffalo. |
| Baker, Howard H. & CoBuffalo. Hardy & Dischinger CoToledo |
| Standard Varnish Worles New Varle |
| Toledo White Lead CoToledo. Upson-Walton CoClevefand. U. S. Graphite Co., Saginaw, Mich. MATTRESSES, CUSHIONS, |
| U. S. Graphite Co., Saginaw, Mich. |
| BEDDING. |
| BEDDING. Fogg, M. W |
| MECHANICAL DRAFT FOR BOILERS. |
| American Blower Co.,Detroit. |
| |

| American Ship Building Co |
|---|
| American Ship Building Co |
| Detroit. |
| METALLIC PACKING. |
| Katzenstein, L., & Co New York. Republic Belting & Supply Co |
| MOTORS, GENERATORS— |
| ELECTRIC. General Electric Co |
| Schenectady, N. Y. NAUTICAL INSTRUMENTS. |
| Ritchie, E. S., & Sons |
| NAVAL ARCHITECTS. Babcock & PentonCleveland. |
| Curr. Robert |
| Hynd, AlexanderCleveland |
| Mosher. Chas. DNew York. |
| Curr, Robert |
| OIL CUPS. |
| Williams, D. T., Valve Co |
| OAKUM. |
| Stratford. Oakum Co |
| Stratford, Oakum Co |
| OIL AND GREASE CUPS. |
| Lunkenheimer Co., |
| Detroit, Mich. |
| OILS AND LUBRICANTS. |
| Dixon Crucible Co., Joseph Jersey City, N. J. |
| DACKING |
| Jenkins Bros |
| Republic Belting & Supply Co |
| PADDLE-WHEEL BOAT |
| MACHINERY. |
| |
| Marine Iron WksChicago, Ill. PATTERN SHOP MACHINERY. Atlantic Works, Inc Philadelphia. |
| Atlantic Works, Inc Philadelphia. |
| PILE DRIVING AND SUBMAR- INE WORK. Buffalo Dredging CoBuffalo. |
| Buffalo Dredging CoBuffalo. |
| Dunbar & Sullivan Dredging Co Buffalo. |
| Great Lakes Dredge & Dock Co |
| Parker Bros. Co., Ltd Detroit. |
| Starke Dredge & Dock Co., C. H |
| Starke Dredge & Dock Co., C. H Milwaukee. Sullivan, M |
| PIPE CUTTING AND THREAD- |
| The Armstrong Mfg. Co |
| Oster Mfg. CoCleveland. O. |
| PIPE, WROUGHT IRON. |
| Republic Belting & Supply Co Cleveland. |
| PLANING MILL MACHINERY. |
| Atlantic Works, Inc Philadelphia. |
| PLATES—SHIP, STRUCTURAL, ETC. Otis Steel Co |
| Otis Steel CoCleveland. |
| PRESSURE REGULATORS. Ross Valve Mfg. CoTroy, N. Y. |
| PROPELLER WHEELS. |
| American Ship Building Co |
| Atlantic Works East Boston, Mass. Cramp, Wm. & Sons Philadelphia. Detroit Ship Building Co. Detroit |
| Cramp, Wm. & Sons Philadelphia. Detroit Ship Building Co Detroit. |
| Delivit Daily, Dunding CoDelivit |

| Fore River Shipbuilding Co |
|--|
| Fore River Shipbuilding Co |
| Hyde Windlass CoBath, Mc Lockwood Mfg. Co East Boston, Mass |
| Lockwood Mfg. Co Bast Boston Mass |
| Marine Iron Wks |
| Newport News Ship Building Co. |
| Roelker, H. BNew York |
| Sheriffs Mfg. CoMilwaukee Superior Ship Building Co |
| Toledo Ship Building CoToledo |
| PROJECTORS, ELECTRIC. |
| General Electric Co |
| PUMPS FOR VARIOUS |
| DIIDDACEC |
| Great Lakes Engineering Works. Detroit Kingsford Foundry & Machine |
| Kingsford Foundry & Machin |
| Works Oswego, N. Y Marine Iron Wks Chicago, Il Wheeler Condenser & Engineering Co. New York |
| Co |
| Williams Gauge CoPittsburg Roelker, H. BNew York |
| REGISTER FOR CLASSIFICA |
| TION OF VESSELS. Great Lakes RegisterCleveland |
| RIVETS. STEEL FOR SHIP |
| AND BOILERS. Great Lakes Engineering Works |
| Detroi |
| RUBBER GOODS. |
| RUBBER GOODS. Republic Belting & Supply Co Cleveland |
| SAFETY VALVES. Lunkenheimer CoCincinnat |
| CATT MARKEDS |
| Baker, Howard H. & Co Buffalo Upson-Walton Co Cleveland |
| SALVAGE COMPANIES. |
| See Wrecking Companies. |
| SEARCH LIGHTS. General Electric Co Schenectady, N. Y |
| SEPARATORS. |
| Rogers Oil Separator CoBuffalc Williams, D. T., Valve Co., "Cook son," Cincinnati |
| Williams, D. T., Valve Co., Cook son." Cincinnati |
| SHLAKS. |
| See Punches, and Shears. SHIP AND BOILER PLATES |
| AND SHAPES. Otis Steel CoCleveland |
| SHIP BUILDERS. American Ship Building Co Cleveland |
| Atlantic Works East Boston, Mass |
| Atlantic Works East Boston, Mass Buffalo Dry Dock Co Buffalo Collingwood Shipbuilding Co., |
| Collingwood, Ont |
| Cramp, Wm. & Sons. I madely Chicago Ship Building Co. Chicago |
| Collingwood Shipbuilding Co |
| Detroit Ship Building Co Detroit |
| Fore River Ship Building Co |
| Great Lakes Engineering Works |
| Fore River Ship Building Co |
| 200A 11 00 0 |

Books on Marine Engineering, or the Operation of Engines, and for Beginners in Engine Room.

| AMERICAN MARINE ENGINEER-By Edwards | \$ 2 | 50 | |
|--|-------------|----------|---|
| ARITHMETIC OF THE STEAM ENGINE—E. S. Gould | 1 | 00 | |
| ELECTRIC LIGHTING—Atkinson | 1 | 50 | |
| ELECTRIC LIGHTING FOR MARINE ENGINEERS; or How to light a ship by the electric light and how to keep the apparatus in order—S. F. Walker | 2 | 00 | |
| ENGINEER'S EPITOME—N. J. Smith. A collection of fig- ures, facts and formulæ for engineers | | 50 | |
| RNGINEER'S MANUAL OF LOCAL MARINE BOARD EX- AMINATIONS—By Ainsley | 5 | 00 | |
| ENGINE RUNNERS CATECHISM—By Grimshaw | 2 | 00 | |
| ENGINES AND ENGINE RUNNING—Joshua Rose. For the use of those who desire to pass an examination to take charge of an engine or boiler; illustrated | 2 | 50 | |
| ENGINE TESTS AND BOILER EFFICIENCIES—By J. Buchetti | 8 | 00 | |
| EXAMINATION QUESTIONS AND ANSWERS—Emory Edwards. 900 examination questions and answers for young engineers and firemen who desire to obtain marine licenses | 1 | 50 | |
| GAS ENGINES AND THEIR TROUBLES—Roberts and Durand. | 1 | 50 | |
| GAS, GASOLINE AND OIL ENGINES—Gardner D. Hiscox | 3 | 50 | |
| HAWKINS' AIDS TO ENGINEERS' EXAMINATIONS, with Questions and Answers | 2 | 00 | |
| HAWKINS' HAND BOOK OF CALCULATIONS FOR EN- GINEERS. Comprises elements of arithmetic, mensuration, geometry, mechanical philosophy, with explanations and help rules useful to an engineer | | 00 | |
| HAWKINS' INDICATOR CATECHISM. (A practical treatise.) | 1 | 00 | |
| HAWKINS' MAXIMS AND INSTRUCTIONS FOR THE BOILER ROOM. Useful to the engineer, the fireman, to the steam user or owner, and to the student of steam en- gineering. | 2 | 00 | |
| HAWKINS' NEW CATECHISM OF ELECTRICITY | 3 | 00 | |
| HAWKINS' NEW CATECHISM OF THE STEAM ENGINE | 2 | 00 | |
| HAWKINS' SELF-HELP, Mechanical Drawing | 3 | 00 | |
| HOW TO RUN ENGINES AND BOILERS. Practical instruc- tion for young engineers and steam users. E. P. Watson. New fifth edition. | 1 | 00 | |
| INDICATOR PRACTICE—Hemenway | 3 | 00 | |
| KEY TO ENGINEERING—Invaluable to engineers and fire- men about to take examinations. Written in the plainest language and in the form of questions and answers. Post- paid. | | 75 | |
| KEY TO ENGINES AND ENGINE RUNNING—Joshua Rose. For use of those desiring to pass examination to take charge of an engine or boiler | | 50 | • |
| LIBRARY OF STEAM ENGINEERING—John Fehrenbatch, M. R. | 5 | 00 | |
| MANUAL OF MARINE ENGINEERING: Comprising the Design, Construction and Working of Marine Machinery. A. E. Seaton. New revised edition | 6 | 00 | |
| MARINE BOILERS: A treatise on the Causes and Prevention of their Priming, with remarks on their general management—Reed. | | 00 | |
| MARINE BOILERS—L. E. Bertin. 250 illustrations, designs and tables | 7 | 50 | |
| MARINE BOILERS—Stromeyer | | 00 | |
| MARINE ENGINEERING—International Textbook Co. A serie textbooks for persons engaged in the engineering professions of those who desire information concerning them. (Marine En —Marine Boilers—Western River Steamboats) | r i | for | |
| MARINE ENGINES AND BOILERS—By G. Bauer | | 00 | |
| MARINE ENGINES—R. Murray | | 80 50 | |
| manna invinuans—by Daimay | • | 50 | |

| | • |
|--------------------------|---|
| \$ 15 00 | MARINE STEAM ENGINE: Its Construction, Action and Management—Carl. Busley. A manual and book of reference for engineers, students, ship owners, officers of the navy and mercantile marine, and all interested in steam navigation. Thoroughly revised; third edition |
| 6 00 | MARINE STEAM ENGINES—Sennet & Oram |
| 5 50 | MECHANICAL ENGINEERS' POCKET BOOK—H. H. Suplee. Hand book of tables, formulas and methods for engineers, students and draughtsmen |
| 4 00 | MECHANICS' AND ENGINEERS' POCKET BOOK, including Naval Architecture, Steam and the Steam Engine, Steam Vessels, etc. 64th edition, 1,050 pages. Chas. H. Haswell |
| 8 00 | MODERN EXAMINATIONS OF STEAM ENGINEERS-W. H. Wakeman. |
| 8 00 | NAUTICAL ENCYCLOPEDIA, ILLUSTRATED—Howard Pat- terson. Complete from Standpoint of Marine Engineer and Naval Architect |
| 8 00 | FOCKET BOOK OF MARINE ENGINEERING, RULES AND TABLES—Seaton and Rounthwaite. For marine engineers, naval architects, superintendents and others engaged in construction of marine machinery |
| 5 00 | PRACTICAL MARINE ENGINEERING, for marine engineers and students with aids for applicants for marine engineers' license—Prof. W. F. Durand |
| | QUESTIONS AND ANSWERS FOR MARINE ENGINEERS— Theo. Lucas. Containing 807 questions, with fully explained illustrated answers. |
| 2 00 | QUESTIONS AND ANSWERS, sixth edition-Stephen Roper |
| 5 00 | REED'S ENGINEERS' HAND BOOK—New edition; illustrated by 845 diagrams and 86 large plates |
| 8 00 | REED'S KEY to Reed's Hand Book—Contains working of all questions given in examination papers |
| 5 00 | RESISTANCE AND PROPULSION OF SHIPS—W. F. Durand, principal of school of marine construction, Cornell University. |
| 8 50 | ROPER'S ENGINEERS' HANDY BOOK for Steam engineers and Electricians. Revised and enlarged |
| 5 00 | SCREW PROPELLER COMPUTER—Prof. Geo. R. McDermott. For quickly determining dimensions and proportions of screw propeller or any set of conditions |
| 8 00 | SCREW PROPELLERS AND MARINE PROPULSION—I. McKim Chase. |
| 2 00 | SLIDE VALVE—Julius Begtrup. Special reference to Modern Practice in the United States |
| 1 00 | SLIDE VALVE, SIMPLY EXPLAINED-W. J. Tenant |
| 8 00 | SLIDE VALVES—C. W. MacCord, Jr. A book for practical men on the principles and methods of design |
| | SMALL ENGINES AND BOILERS—Egbert P. Watson. A manual of concise and specific directions for construction of small steam engines and boilers of modern types; illus- |
| | STEAM AND THE MARINE STEAM ENGINE—Jno. Yeo |
| 3 00 | STEAM BOILER: Its Care and Management. Stephen Roper |
| | STEAM BOILERS—Joshua Rose. Practical treatise, construction and examination. Seventy-three engravings |
| | STEAM BOILERS-Peabody & Miller |
| | STEAM ENGINE CATECHISM-By Robt. Grimshaw |
| 2 50 | STEAM ENGINE: Theory and Practice-Ripper |
| BINES todola. 4 50 | STEAM TURBINES, WITH AN APPENDIX ON GAS TURE AND THE FUTURE OF HEAT ENGINES—Dr. A. St. Translated by Dr. Louis C. Lowenstein |
| | THE PROFESSOR ON SHIPBOARD |
| 2 00 | TRIPLE AND QUADRUPLE EXPANSION ENGINES AND BOILERS AND THEIR MANAGEMENT—A Ritchie Leask. Third edition, revised |
| | USES OF ELECTRICITY ON SHIPBOARD-By J. W. Kellogg |
| 1 00 | WATER TUBE BOILERS—Fifth revised and enlarged edition of HOW TO RUN ENGINES AND BOILERS—F. P. Watson. Practical instruction for young engineers and steam users. |
| | |

Sent to any address, carriage prepaid, at prices named. There is no book on Navigation, Marine Engineering, Ship Building, or the allied industries, that is not either published or for sale by

THE PENTON PUBLISHING COMPANY,

CLEVELAND, O.



Buyers' Directory of the Marine Trade---Continued.

| • |
|---|
| SHIP BUILDERS—Continued. |
| Maryland Steel Co |
| Milwaukee Dry Dock Co |
| Newport News Ship Building Co |
| Newport News Ship Building Co |
| Roach's Ship YardChester, Pa. |
| Toledo Ship Building CoToledo. |
| SHIP CEMENT. Toledo White Lead Co., Toledo. O. |
| SHID CHANDIEDS |
| Marine Mfg. & Supply Co |
| Baker, Howard H. & CoBuffalo. Marine Mfg. & Supply Co New York Upson-Walton CoCleveland. |
| SHIP DESIGNERS. |
| Kidd, Joseph Duluth. Nacey, & Hynd Cleveland Wood, W. J Chicago |
| |
| SHIP FLOORING, American Sawdolet Co., Cleveland. |
| SHIP LANTERNS AND LAMPS. Upson-Walton Co Cleveland. |
| SHIP TIMBER. |
| Martin-Barriss CoCleveland. |
| SHOES. Emerson Shoe CoCleveland. |
| SIGNALS—SUBMARINE. |
| Submarine Signal CoBoston |
| SMOOTH-ON COMPOUND, FOR REPAIRS. |
| Smooth-On Mfg. Co |
| |
| STAYBOLT IRON OR STEEL BARS, HOLLOW OR SOLID. |
| Falls Hollow Staybolt Co |
| STEAM VESSELS FOR SALE. |
| Holmes, Samuel New York. McCarthy, T. R Montreal, Can. |
| STEAMSHIP LINES, PASS. AND |
| FREIGHT. American Line New York. |
| Boston SteamshipBoston. |
| Cleveland & Buraio Transit Co Cleveland. International Mercantile Marine Co Philadelphia. Mallory Line New York. New York & Cuba Mail S. S. Co New York. Red Star Line New York. Ward Line New York. |
| International Mercantile Marine Co Philadelphia. |
| Mallory Line New York. New York & Cuba Mail S. S. Co. |
| Bed Star Line New York. |
| Ward Line |
| STEEL CASTINGS. |
| Otis Steel CoCleveland. STEERING APPARATUS. |
| Akers Steering Gear CoChicago. American Ship Building Co |
| Chase Machine CoCleveland. |
| Chase Machine CoCleveland. Dake Engine Co |
| Dake Engine Co |
| Hyde Windlass CoBath, Me. |
| Marine Mfg. & Supply Co |
| Sheriffs Mfg. CoWilwaukee. |
| STOCKS AND DIES. |
| Oster Mfg. CoCleveland, O. SUBMARINE DIVING APPARA- |
| TUS. |
| Morse & Son, A. JBoston. Schrader's Son, Inc. ANew York. |
| |

| , |
|---|
| SURVEYORS, MARINE. Hynd, AlexanderCleveland. Parker Bros. Co., LtdDetroit. Nacey, JamesCleveland. Wood, W. JChicago. |
| SYPHONS. Philip Braender New York City. TESTS OF MATERIALS. Hunt, Robert W. & Co Chicago. Lunkenheimer Co Cincinnati, O. THERMIT Goldschmidt Thermit Co., |
| New York City. |
| THREAD CUTTING TOOLS. Armstrong Manufacturing Co Bridgeport, Conn. |
| TILING, RUBBER. Republic Belting & Supply Co Cleveland. |
| TOOLS. |
| Republic Belting & Supply Co Cleveland. |
| TOOLS, METAL WORKING, FOR SHIP AND ENGINE WORKS. Watson-Stillman Co New York. |
| TOOLS, WOOD WORKING. Atlantic Works, IncPhiladelphia. |
| TOWING MACHINES. American Ship Windlass Co Providence, R. I. Chase Machine CoCleveland |
| TOWING COMPANIES |
| Donnelly Salvage & Wrecking Co |
| Donnelly Salvage & Wrecking Co |
| TRAPS, STEAM. Williams, D. T., Valve Co., "Cookson" Cincinnati. |
| TRUCKS. Boston & Lockport Block Co Boston. |
| TUBING, SEAMLESS. Shelby Steel Tube Co Pittsburg, Pa. |
| VALVES, BRASS. |
| Globe, Angle and Cross Valves. Williams, D. T., Valve Co |
| VALVES CHECK |
| Scoville Check Valve Co., Ashtabula, O. Williams, D. T., Valve Co |
| Cincinnati. |
| VALVES, GATE. Double, Disc and Wedge Disc. Williams, D. T., Valve Co |
| Cincinnati. |
| VALVES, IRON. |
| Globe, Angle and Cross. Williams, D. T., Valve Co |
| VALVES, IRON CHECK. |
| Horizontal, Angle and Vertical. Williams, D. T., Valve Co |
| VALVES, STEAM SPECIALTIES, |
| ETC. Jenkins BrosNew York Lunkenheimer CoCincinnati. |
| New Bedford Boiler & Machine Co |
| Penberthy Injector Co |
| Republic Belting & Supply Co |
| • |

| Ross Valve CoTroy, W. Y. |
|--|
| MAINE BOD WAREN |
| VALVES FOR WATER AND GAS |
| Ashton Valve Co.,Boston Lunkenheimer CoCincinnati |
| Republic Belting & Supply Co |
| |
| Ross Valve Mfg. CoTroy, N. Y. Scoville Check Valve Co |
| Scoville Check Valve Co |
| Ashtabula, O |
| VESSEL AND FREIGHT |
| |
| Boland, John J |
| Elphicke, C. W. & Co Chicago |
| Hall, John BBuffalo. |
| Helm & Co., D. TDuluth |
| Hawgood & Co., W. ACleveland |
| Hutchinson & Co Cleveland |
| Hutchinson & CoCleveland McCarthy, T. RMontreal |
| Mehl, EdwardErie, Pa. |
| Mitchell & CoCleveland |
| O'Connor, J. J Port Arthur, Ont. |
| Prindiville & Co., LtdChicago |
| Richardson, W. CCleveland |
| Sullivan, D. & CoChicago |
| Parker Bros. Co., LtdDetroit. Prindiville & CoChicago. Richardson, W. CCleveland. Sullivan, D. & CoChicago. Vance & Joys CoMilwaukee, Wis. |
| WATER COLUMNS. |
| Lunkenheimer Co Cincinnati. |
| - WATER GAUGES. |
| f 1 1 : C C:=::====: 0 |
| Penberthy Injector Co |
| Detroit, Mich. |
| Republic Belting & Supply Co |
| Cicvetand. |
| WHISTLES, STEAM. |
| Lunkenheimer CoCincinnati. |
| |
| WHITE LEAD. |
| Toledo White Lead Co., Toledo, O. |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A New York |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A New York |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A New York. WIRE ROPE AND WIRE ROPE FITTINGS. Bakes H # & Co Buffalo. |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A New York. WIRE ROPE AND WIRE ROPE FITTINGS. Bakes H # & Co Buffalo. |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |
| Toledo White Lead Co., Toledo, O. WILFORD'S WATERPROOF CLOTH. Bunker, E. A |

Generated on 20 Public Domain,

Y. V .

 $\text{VD}\,\mathbb{G}_{\mathbb{S}}$

300 1

IGH.

WARD LINE

NEW YORK AND CUBA MAIL STEAMSHIP CO.

POPULAR ROUTE TO CUBA, NASSAU, MEXICO

> Finest and Largest Steamships Sailing from New York to other than European Ports. Holders of the record between Havana and New York--1,240 miles in 61 hours.

FOUR SAILINGS EACH WEEK BETWEEN NEW YORK and HAVANA.

WEEKLY SERVICE TO GUANTANAMO, SANTIAGO, MANZAN* ILLO, CIENFUEGOS, CUBA, PROGRESO, VERA GRUZ
AND TAMPICO, MEXICO.

SEMI-MONTHLY SAILINGS TO Nassau, N. P. Bahamas.

LOW RATES OF FREIGHT AND PASSAGE.

SEND FOR OUR SCHEDULES, RATES AND DESCRIPTIVE MATTER.

NEW YORK & CUBA MAIL S. S. CO.

90 Wall St., NEW YORK. .

AMERICAN LINE CHERBOURG SOUTHAMPTON

Sailing From New York Every Saturday at 9.30 a. m.

St. Louis (11,699 tons) New York (10,796 tons)

St. Paul (11,629 tone) Philadelphia (10,786 tons)

Special Express Train from Plymouth and Southampton te Lenden and between Cherbourg and Paris.

RED STAR LINE NEW YORK

ANTWERP LONDON

PARIS CALLING AT DOVER FOR LONDON AND PARIS.

Sailing Wednesday from Pier 14, North River, N. Y. Finland

Kroonland (12,760 tons)

(12,760 tons)

Vaderland Zeeland (13:017 tons) (11,905 tons)
One of the Shortest Routes to LOEDON, PARIS, ERLSIUM, HOLLAND, GERMAN, THE REISE, SWITZERLAND and ITALY.

9 Broadway, New York.

1819 Walnut St., Philadelphia.
India Building, 84 State St., Boston.
1806 F St., N. W., Washington, D. C.
219 St. Charles St., New Orleans.
90-96 Dearborn St., Chicago.
900 Locust St., St. Louis.
121 South Third St., Minneapolis.
36 Ellis St., near Market, SanFrancisco
9 East Sixth St., St. Paul.
41 King St., East Toronto.
17 St. Sacrament St., Montreal.

PIERS: 14 & 15 NORTH

RIVER, FOOT OF FUL-

TON ST., NEW YORK.

(New York & Texas Steamship Company)

Steamers Leave Piers New 15, 16 East River, NEW YORK

FOF GALVESTON, TEXAS

Every WEDNESDAY and SATURDAY, taking FREIGHT for all Points in

TEXAS, MEXICO, NEW MEXICO, ARIZONA, UTAH, KANSAS, OKLA
HOMA, MISSOURI, OULORADO and CALIFORNIA.

Seturday's Steamer touches at Key West, Fla.

A Steamer sails every FRIDAY, 3 p. m., taking FREIGHT for ALABAMA,

MISSISSIPL, MISSOURI and the SOUTHWEST.

FOF BRUNSWICKS, GA.

MISSISSIPPI, MISSOURI and the SOUTHWEST.

FOF BRUNSWICK, GA.

Steamer sails every FRIDAY, 3p. m., taking FREIGHT for all Points in GEORGIA, FLORIDA, ALABAMA, LOUISIANA and the SOUTH and SOUTHWEST.

BIX days Ocean voyage to GALVESTON, Texas, thence by rail to All points South-west. Six days to MOBILE. Ala., through tickets to NEW ORLEANS. 65 hours to BRUNSWICK, Ga., thence rail to Interior South-eastern Points.

An especially attractive route through famous "SEA ISLANDS", to JACKSONVILLE, Florids.

Through Bill of Lading. Insurance at lowest rates. MALLORY STEAMSHIP COMPANY 80 South St., New York

FORE RIVER SHIPBUILDING CO.

QUINCY, MASSACHUSETTS

SHIP and ENGINE BUILDERS CURTIS MARINE TURBINES HIGH GRADE STEEL FORGINGS

W. & A. FLETCHER CO. NORTH RIVER IRON WORKS

PARSONS MARINE TURBINES Contractors for Vessels Complete. Marine Engines, Boilers and Mackinery of all kinds

Enlarged Facilities

HOBOKEN, N. J.



THE CLEVELAND & BUFFALO

TRANSIT COMPANY

UNPARALLELED NIGHT SERVICE The Twin Flyers of The Lakes "CITY OF BUFFALO" "CITY OF ERIE"

Both together being, without doubt, in all respects the finest and fastest that are run in the interest of the traveling public in the United States

TIME CARD.—DAILY INCLUDING SUNDAY. CENTRAL STANDARD TIME, Leave CLEVELAND 8 p. m. Arrive BUFFALO 6:50 a. m.

"BUFFALO 8 p. m. Arrive BUFFALO 6:50 a. m.

Connections made at Buffalo for all Eastern and Canadian points; at Cleveland for Toledo. Detroit and all points West and Southwest. Tickets reading over L. S. & M. S. Ry. will be accepted on this Company's Steamers without extra charge. Special Low Rates Cleveland to Buffalo and Niagara Falls every Saturday Night, also Buffalo to Cleveland. Ask Ticket Agents for tickets via C. & B. Line. Send four cents for illustrated pamphlet.

W. F. HERMAN, G. P. A., Cleveland, O.

The Atlantic Works, Massachusetts. EAST BOSTON.

BUILDERS OF

Steamships, Steam Yachts, Tow Boats, Etc.

Marine Engines, Boilers and Tanks. Heavy Machinery and Plate Iron Work. THREE MARINE RAILWAYS.

Practical Marine Engineering

By PROF. W. F. DURANT

For Marine Engineers and Students, with aids for applicants for marine engineers' license.

PRICE \$5.00

FOR SALE BY

THE MARINE REVIEW, Gleveland

VESSEL AND INSURANCE AGENTS

FRED P. BELCHER. Vessel and Insurance Agent, 430 Grain Exchange. WINNIPEG, MAN. P. O. Box 230.

JOHN J. BOLAND & CO., Vessel and Insurance Agents. 800-804 Prudential Bldg. Both Phones. BUFFALO, N. Y.

G. L. DOUGLASS, JR., Vessel Agent. DULUTH, MINN.

Telephones: Office { Bell 878. Zenith 14. Bell 561.

C. W. ELPHICKE & CO. Vessel and Insurance Agents. No. 6 Sherman St. CHICAGO, ILL. Telephone, Harrison 1194.

> JOHN B. HALL, Vessel Agent.

Room 46 Dun Bldg., Cor. Pearl and Swan Sts., Tel. Seneca 892. BUFFALO N. Y.

W. A. Hawgood. Arthur H. Hawgood. W. A. HAWGOOD & CO. Vessel and Insurance Agents. 220-21 Perry-Payne Bldg., Cleveland, O. Coffice, Main 2395.
Telephones: Res. W. A. Hawgood, Doan 84-J. Res. A. H. Hawgood, Doan 841-J.

D. T. HELM & CO.

Vessel and Insurance Agents. Telephones—Office 263.
—Res. 381-3.

DULUTH, - - - MINN.

SAMUEL HOLMES. Steamship Offices, For Selling Chartering and Building all Classes Steam Vessels. Steam Vessel Circulars Weekly Freight Circulars. Morris Bldg.,66-8 Broad St., New York.

Vessel Agent. Insurance Adjusting and Chartering. PORT ARTHUR and FORT WILLIAM, ONTARIO.

J. J. O'CONNOR,

HAND BOOK ADMIRALTY LAW, by Robt. M. Hughes, Price \$8.75. THE PENTON PUB. Co., Cleveland, O.

VESSEL AND INSURANCE AGENTS.

HUTCHINSON & CO. Vessel and Insurance Agents.

Office, Main 2453.

Phones: Res. C. L. Hutchinson, Lake 244.
Res. W. H. McGean, Doan 274. 1408 Rockefeller Bldg. Cleveland.

J. B. Rodgers J. E. McAlpine J. J. H. Brown J. Obersheimer BROWN & CO.

> Lake Transportation 1217-19 Chamber of Commerce, BUFFALO, N. Y.

EDWARD MEHL, Vessel Owner and Broker, Cargo Insurance, Scott Block, Cor 10th and State Sts. ERIE, PA.

T. R. McCARTHY.

Steamship and Freight Broker. Chartering, Forwarding and General Com-mission Agent; and Broker for the Sale, Purchase and Construction of Steamers and Sailing Vessels.

Cable Address, "Macarthy, Montreal."
(Watkins', Scott's Liebers and A. B. C.
Codes Used.)

Shipping Agent to The Asbestos & Asbestic Co., Ltd., of Asbestos Que. The Belgo Canadian Pulp & Paper Co., Ltd., of Shawinigan Falls, Que. Edward Lloyd, Ltd. Paper Manufacturer, of London (Eng.).

404 Board of Trade Bldg., MONTREAL, CAN. Correspondence Invited and Agencies Solicited.

ALFRED MITCHELL JOHN F. WEDOW

MITCHELL & CO.

1504-68 Rockefeller Building,
OLEVELAND, OHIO

Vesset and Insurance Agents
IRON ORE, COAL, LUMBER, STEEL RAILS,
BILLETS, GRAIN CARGOES, &c. &c.
Office Telephones—Bell, Main 757, 786

Rea. Telephone—Alfred Mitchell, Bell Doan 218
John F. Wedow Bell Doan 141

PARKER BROS. CO., Ltd. Vessel, Marine Insurance and Wrecking Agents. Marine Surveyors. Office Tel. Main 5314. Night: East 1064. Night: Grand 1555. 15 Atwater St. West, DETROIT, MICH.

W. C. RICHARDSON, Vessel Owner and Broker and Marine Insurance Agent. 420-421 Perry Payne Building, CLEVELAND, O. Office Tel. 338. Residence Tel. 2938.

D. SULLIVAN & CO.

Marine Insurance Lake Transportation

2 and 4 Sherman St. **CHICAGO**

VANCE & JOYS CO.

Vessel and Insurance Agents No. 46 CHAMBER OF COMMERCE TELEPHONE MAIN 1524 MILWAUKEE, WIS.

PROCTORS IN ADMIRALTY

ALBERT J. GILCHRIST, Proctor in Admiralty. Rockefeller Building, CLEVELAND, O.

ALEXANDER MARSHALL

Attorney-at-Law and Proctor in Admiralty. Suite 506 Providence Building, DULUTH, MINNESOTA

HOYT, DUSTIN & KELLEY,

Lawyers and Proctors in Admiralty. Offices, 702 Western Reserve Bldg., CLEVELAND, O.

JENKINS, RUSSELL & EICHELBERGER. Attorneys-at-Law and Proctors in Admiralty. 1520 Rockefeller Bldg. CLEVELAND.

C. E. KREMER, Counselor at Law and Proctor in Admiralty. Suite 1505-1506-1507 Fort Dearborn Blig., CHICAGO, ILL.

RAY G. MACDONALD, Attorney-at-Law and Proctor in Admiralty. 1018 Hartford Building, Telephone, Central 2484 CHICAGO, ILL

FRANK MAYTHAM, Attorney and Counsellor at Law Proctor in Admiralty.

10 Marine Exchange Bldg., BUFFALO, N. Y.

SHAW, WARREN, CADY & OAKES,

Attorneys-at-Law. and Proctors in Admiralty. Union Trust Bidg., Detroit, Mich.

H. R. SPENCER,

Attorney-at-Law and Prodor in Admirally. Board of Trade, DULUTH, MINN.

DORR E. WARNER

Attorney-at-Law Proctor-in-Admiralty 316-317 and \$18 Perry-Payne Building CLEVELAND, O. in 2471

Digitized by Google

3-28 13:27 GMT.e-digitized , 2024-08-2 n, Google-

Generated on 20 Public Domain,

PROFESSIONAL.

GOULDER, HOLDING & MASTEN,

Law Offices.

H. D. Goulder. S. H. Holding. F. S. Masten. Perry-Payne Building, CLEVELAND, O.

W. O. ROOT,

Expert Marine Engineer, Designs, Specifications Consultation, Inspection, Surveys and Tests. Special attention given to Fuel Economy.

Tel. Harrison 5782.

623-4 Monadneck Block CHICAGO.

PROFESSIONAL.

Alexander Hynd.

NACEY & HYND.

Marine Architects. Mechanical Draughtsmen. Consulting Engineers.

Specifications and designs for all descriptions of marine vessels, engines and boilers. Supervision of construction and repairs. Damage and other surveys carefully attended to.

Agents for Marine Specialties.

208-9 Western Reserve Building, CLEVELAND, O. Phone, Main 3339 J.

PROFESSIONAL.

W. J. WOOD,

Naval Architect, Consulting Engineer.

Prepares designs or working drawings and specifications for all classes of vessels and superintends construction and repairs. Surveys damaged property and estimates cost of repairs. Arbitrator and court expert.

FIRE BOATS A SPECIALTY.

Complete Plans furnished for Steel, Composite or Wooden Vessels.

543 Postal Telegraph Bldg. Tel. Harrison 1020. CHICAGO.

ROBERT W. HUNT & CO.,

Bureau of Inspection. Tests and Consultation.

1121 The Rookery, CHICAGO. Monong. Bank Bldg., PITTSBURG. 66 Broadway, NEW YORK.

Inspectors of shipbuilding material and machinery. Inspectors of all materials. Duty tests of engines and boilers. Physical and chemical laboratories.

JOSEPH KIDD,

Marine Architect and Surveyor. Consulting Ship Builder and Engineer

Over thirty years' experience. Specifications, designs and estimates. Superintendence of construction and repairs. Damage and other surveys carrellly attended to. Negotiations for the building, charter or sale of all kinds of vessels and machinery.

605 Palladio Building, DULUTH, MINN.

M. C. FURSTENAU

Consulting Marine Engineer and Naval Architect

All classes of vessels and machinery designed. Tests and surveys made. 308 Walnut St.

Tel. Lombard 2789A PHILADELPHIA, PA.

ROBERT CURR,

Naval Architect and Surveyor

Specifications and Designs furnished for all types of vessels. Supervision of Construction and Repairs. Damage and other surveys carefully attended to. Piece work price lists and cost of labor a speciality.

1024 Rockefeller Bldg., CLEVELAND, OHIO

The Lorain Coal & Dock Co.

General Offices: CLEVELAND

No. 8 PITTSBURG COAL

Docks and Fuel Lighter:

W. I. BABCOCK

BABCOCK & PENTON

Engineers and Naval Architects

DESIGNS

814 Perry-Payne Bldg.

INSPECTION SURVEYS REPORTS

CLEVELAND, O. SPECIFICATIONS

Prindiville & Company

AVERAGE ADJUSTERS AND INSURANCE BROKERS

234 La Salle St.

Chicago, III.

Representing Johnson & Higgins New York

Foreign Representatives Willis Faber & Co., Ltd., London. John D. Tyson & Co., Liverpool.

ESTABLISHED 1837

Andrew J. Morse & Son, Inc.

221 High Street,

Boston, Mass.



DIVING APPARATUS and Submarine Armor

Fire Department Supplies The Morse Monitor Nozzle

Producers and Shippers of

LORAIN, O.

GREAT LAKES REGISTER

CLASSIFICATION OF STEEL AND WOODEN VESSELS.



COMBINED AND ISSUED IN CONNECTION WITH

BUREAU VERITAS INTERNATIONAL REGISTER OF SHIPPING.

THE RATINGS OF GREAT LAKES REGISTER GO BEFORE AND ARE ACCEPTED BY THE LEADING UNDERWRITERS OF AMERICA

AND EUROPE. VESSELS BUILT UNDER THE SUPERVISION OF ITS SURVEYORS WILL RECEIVE SPECIAL RATING, AND WILL ALSO BE PUBLISHED IN BUREAU VERITAS INTERNATIONAL REGISTER OF SHIPPING.

PLANS AND SPECIFICATIONS FURNISHED.

GREAT LAKES REGISTER SURVEYORS ARE ESTAB-LISHED AT ALL THE PRINCIPAL PORTS ON THE GREAT LAKES.

F. D. HERRIMAN, SURVEYOR GENERAL, 320-322 Perry-Payne Building, . . . CLEVELAND, O.



Chas. Cory & Son

Manufacturers of

Mechanical and Electrical Telegraphs and Indicators. Engine Bells and Electric Call Bells.

286 Spring St., near Hudson, NEW YORK CITY.

Feed Water Filters, Regulators

and Engines

We make Pressure Regulating Valves for all purposes, steam or

Our Feed-Water Filter will keep oil out of your boiler.

> We can interest you if you use a condenser.

Water Engines for Pumping Organs

The ROSS VALVE MFG. CO. TROY

QUINTARD IRON WORKS CO.

MARINE TURBINES

ENGINES, BOILERS AND MACHINERY Office 742 E. 12th St. **NEW YORK**

M. W. FOGG Mattresses and Cushions



202 Front St.

NEW YORK CITY.

Tietjen & Lang Dry Dock Co.

HOBOKEN, N. J. EIGHT DRY DOCKS 600, 800, 1,000, 1,200, 1,400, 1,800, 2,000, 10,000 TONS General Repairs on Wooden and Iron Vessels FT. OF 17th STREET

Telephone 700 Hoboken

HOBOKEN, N. J.

ESTABLISHED 1860

J. W. FIX

S. FIX'S SONS SUCCESSORS TO S. FIX & SON.

Steam Flue Welding Works Our work stands government test. Our Welds are perfectly smooth. Write us for prices.

COR. LEONARD AND WINTER STS.

CLEVELAND, O.

THE ALLEN DENSE-AIR ICE MACHINE

Contains no chemicals, only air. Proven by many years' service in the tropics on United States men-of-war, steam yachts and passenger steamers. A hundred are in daily service on steamers.

H. B. ROELKER, 41 Maiden Lane, NEW YORK.

Consulting and Constructing Engineer.

Designer and Manufacturer of Screw Propellers.



Established 1844 A. SCHRADER'S SON, Inc. 32 Rose Street, NEW YORK

Manufacturer of

Submarine Armor and Diving Apparatus We carry a complete stock of Dresses, Hose and Repair Sundries.

Improved Bolt Helmet All orders filled day received Write for our prices

The Lockwood Manufacturing Co. EAST BOSTON, MASS.

ENGINEERS AND MACHINISTS.

Builders of Steamships, Tow Boats and Marine Engines. Repairing of Hulls and Machinery.

HAVE YOU

noticed how most people closely scan the "for sale" and "wanted" columns of their trade paper? Tell them through the MARINE REVIEW what you want or what you have for sale. They want to know. The cost is a trifle, \$1 the inch. One dollar the minimum.

Illustrated.

Price 6d.

"The Shipping World"

Written by Experts.

Illustrated by Artists.

DEVOTED TO THE INTERESTS OF A SHIP AND HER CARGO

SPECIAL FEATURES:

Current Events, by the Editor.

Special Articles on TRADE, COMMERCE, SUBVENTIONS, and all Shipping Questions.

Shipping in Parliament.

Shipping and the Law.

Ship Sales and Contracts.

Meptune's Mall, with exclusive News and Notes.

Notes by a Naval Architect, written by Practical Scholars. Reports on Freight and Marine Insurance.

Trade and Finance.

Board of Trade Notes.

Reviews.

Prices Current.

Launches and Trial Trips.

Orders for subscription to "The Shipping World" are received at the office of the MARINE REVIEW.

ANNUAL SUBSCRIPTION: Foreign Countries, 28s. United Kingdom, 21s.

THE "SHIPPING WORLD," LTD., Effingham House, Arundel Street, Strand, LONDON, W. C.

Generated on 2024-08-28 13:28 GMT Public Domain, Google-digitized

Bar Straightener



HIS cut shows one of the many types of bar straighteners made by us which is used in the Metal Industries. This is only one to be selected from over 300 patterns.

Write for Catalogue giving full requirements.

WATSON-STILLMAN CO.

MAIN OFFICE:

26 Cortlandt St., N. Y. C.

Branch Office, 453 The Rookery, Chicago, Ill.



For Soft Patches

Mix a compound of one part of Smooth-On Elastic Cement and one part of Smooth-On Iron Cement No. 1, by volume, which combine to make a stiff metallic putty, easy to work and easy to apply. The boiler can be used as soon as application is completed.

> The above combination is unequaled for boiler patching and stopping leaky seams where caulking is difficult.

> Write for our Illustrated Catalog telling about the different Smooth-On Iron Cements and showing when, where and how to use them.

SMOOTH-ON MFG. CO.,

Jersey City, N. J.

VREELAND TOMPKINS, Chemist and Manager.

FACTS WORTH KNOWING

¶ We carry everything in iron and steel up to 6"

¶ We line up old shafts and have unexcelled facilities for forging new ones.

I We make any kind of boat repairs on short notice,

 \P We supply engineers with everything they need in the engine room and fire hold.

> McKinnon Iron Works ASHTABULA, O.

ROACH'S SHIP YARD.



in all its Branches

Building

Ship

STEAMSHIP AND MARINE MACHINERY. Delaware River Iron Ship Building & Engine Works CHESTER, PA.



Neversink Cork Jackets and Life Belt

Warranted 24 pounds. Buoyancy and full weight of Cork, as required by U. S. Inspectors.

Safest Consolidated Cork Life Preservers. Cheapest

Approved and adopted by U. S. Board of Supervising Inspectors. Also adopted by the principal Ocean, Lake and River Steamer Lines as the only Reliable Life Preserver. Awarded four Medals by World's Columbian Exposition.



Metallic and Wooden Life Boats

Metallic Life Rafts.

Manufacturers of Woolsey's Patent Life Buoy-the lightest, cheapest and most compact life raft known.

DAVID KAHNWEILER'S SONS.

Fox Building, Cor. Franklin Sq. and Dover Street, NEW YORK CITY.

HYDE WINDLASSES AND CAPSTANS

The Hyde Steam and Power Windlasses and Capstans are the best in the market. They have been selected for most of the vessels now building for the Navy Department, Revenue Marine, Lighthouse Board and United States Coast Survey.

They are being furnished for the majority of the highest class Steam Ships, Merchant Vessels and Yachts now building.

HYDE WINDLASS COMPANY, Bath, Maine.

Jenkins Bros. Pump Valves

are made from various compounds, each of which is best



adapted for a particular kind of work. Our many years of experience has enabled us to so perfect these compounds that we can confidently recommend our Pump Valves as the very best obtain-

able. When ordering, give all particulars of service, and we will supply pump valves which we will guarantee.

JENKINS BROS., New York, Boston, Philadelphia, Chicago, London,



General Electric Company

Running signal light tell tale board. Lamps provided with visible and audible safety indicating devices.

85

Principal Office: SCHENECTADY, N. Y. Sales Offices in all large cities.




WILFORD'S WATERPROOF CLOTH

is made of pure twisted flax thread. It is stronger and more durable than cotton, and on account of its light weight is most desirable for Hatch, Boat or Sail covers, Tarpaulins, Side Cloth or Roofing. It will not crack and is positively impenetrable by salt or fresh water. My customers know this—from others I solicit a trial order.

EDWARD A. BUNKER, Sole Agent for the United States and Canada P. O. BOX 1579, NEW YORK.



THE WELIN QUADRANT DAVIT



Adopted by Several Governments and most of the more Prominent Steamship Lines.

Two Men Will Swing the Heaviest Lifeboat Clear in 20 Seconds.

A. P. LUNDIN, Manager,

7 Battery Place, Whitehall Building,

NEW YORK.

SOLID BLOCK LIFE PRESERVERS

Standard for Material and Workmanship. Each Preserver inspected and stamped by U. S. Inspector.

YACHT FENDERS—BUOYS
ARMSTRONG CORK COMPANY

BOSTON, NEW YORK, PHILADELPHIA, PITTSBURGH, CHICAGO, ST. LOUIS, BALTIMORE, CINCINNATI.

MALINIAL DIALIZED & CO


HOWARD H. BAKER & CO. SHIP CHANDLERS and SAIL MAKERS

18 to 26 Terrace,

BUFFALO, N. Y.

5





Digitized by Google

Original from UNIVERSITY OF MICHIGAN